

# A Classified Bibliography on Holography and Related Fields (Second Half)

By JOHN N. LATTA

This is the second half of the Classified Bibliography on Holography, the first half of which was published in the April 1968 Journal, starting on p. 422.

The Bibliography is divided into 32 classifications, of which 1-4 appeared in April and 5-32 appear below.

Sections 1-4 contain all items; then those items are repeated in subject subdivisions and published here. These groups provide a quick reference list for those interested in a particular area of holography. The references in section 1 included boldface numbers denoting under which of the following categories a given reference appears.

The author again expresses appreciation to the Computation Center of the University of Kansas for the use of its facilities which aided greatly in the compilation of this Bibliography and to the Linda Hall Library, Kansas City, Mo., without whose assistance the verification of many references would have been impossible.

## 5. Survey Articles on Holography

- Collier, R. J., "An up-to-date look at holography," *Bell Labs. Rec.*, 45: 102-109, Apr. 1967.
- Eaglesfield, C. C., "Holograms—what uses have they," *Discovery*, 27: 23-26, June 1966.
- El-Sum, H. M. A., "Uses for holograms," *Sci. Technol.*, No. 71, 50-56, 58-59, Nov. 1967.
- Ennos, A. E., "Holography and its applications," *Contemporary Phys.*, 8: 153-170, Mar. 1967.
- Gabor, D., "Holography and communications," *Proc. Symposium on Generalized Networks*, 1-12, Polytechnic Institute of Brooklyn, N.Y., 1966.
- Rogers, G. L., "Pictures by waves," *Perspective (London)*, 8: no. 4, 261-275, 1966.
- Smith, A. B., "Direct-view 3-D images," *Radio-Electronics*, 38: 46-49, Jan. 1967.
- Stroke, G. W., "Recent advances in holography," *Technol. Rev.*, 69: 16-22, May 1967.
- Thompson, B. J., and Parrent, G. B., Jr., "Holography," *Sci. J.*, 3: 42-49, Jan. 1967.
- Yates, J. M., "Wave front image formation," *Brit. J. Phot.*, 113: 328-331, 343, Apr. 22, 1966.

## 6. General References in Holography

- Chambers, R. P., and Stevens, B. A., "Bibliography on holograms—III," *Jour. SMPTE*, 76: 392-395, Apr. 1967.
- Chambers, R. P., and Courtney-Pratt, J. S., "Bibliography on holograms—II," *Jour. SMPTE*, 75: 759-773, 776, 780, 782, 784, 786, 788, 790, 792, 794-796, 798, 800, 802-809, Aug. 1966.
- Chambers, R. P., and Courtney-Pratt, J. S., "Bibliography on holograms," *Jour.*

A contribution submitted by John N. Latta, Dept. of Electrical Engineering, University of Kansas, Lawrence, Kans. 60044. (This Bibliography was received January 22, 1968.)

- SMPTE*, 75: 373-378, 380, 382, 386, 388, 390, 392, 394, 396, 398, 400, 402, 404, 406, 408-410, 412-414, 416-418, 420-430, 432, 434-435, Apr. 1966.
- Consoli, T., Proca, G., and Slamp, L., "Holographic," *Bull. inform. sci. et tech. (Paris)*, no. 116, 99-107, June 1967.
- Dickinson, A., and Dye, M. S., "Principles and practice in holography," *Wireless World*, 73: 56-61, Feb. 1967.
- Francon, M., and Saez, A., "Principles and applications of holography," *Acta Cien. Venezolana*, 18: no. 2, 36-40, 1967.
- Gabor, D., "The transformation of information in optics," *Optica Acta*, 13: 299-310, Oct. 1966.
- Gabor, D., "Wavefront reconstruction of holography," *Proc. 8th Annual Electron and Laser Beam Symposium*, 1-19, Ann Arbor, Mich., Apr. 6-8, 1966.
- Givens, M. P., "Introduction to holography," *Am. J. Phys.*, 35: 1056-1064, Nov. 1967.
- Goodman, J. W., "Applications of holography," *J. Opt. Soc. Am.*, 56: 1413-1414, Oct. 1966, (abstract only).
- Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des fréquences spatiales, holographie," *Rev. Opt.*, 46: 1-46, Jan. 1967.
- Morris, R. E., "The physical principles of holography," *J. Phot. Sci.*, 14: 291-296, Sept.-Oct. 1966.
- Preston, K., Jr., "Fundamentals of holography," *Phot. Sci. Eng.*, 11: 190-197, May-June 1967.
- Ramberg, E. G., "Lasers and holograms," *RCA Engr.*, 12: 66-72, Oct.-Nov. 1966.
- Rose, H. W., and Champagne, E., "Diffraction-pattern photography," *Proc. 17th Natl. Aerospace Electronics Conf.*, 303-309, Dayton, Ohio, May 10-12, 1965.
- Tradowsky, K., "Holography high-speed and microphotography with laser beams," *Chem.-Ing.-Tech.*, 39: 497-504, May 24, 1967.
- Watrasiewicz, B. M., "Lasers and holography," *Instr. Prac.*, 21: 669-673, July 1967.

## 7. Theory of Holography

- Abramowitz, I. A., and Ballantyne, J. M., "Evaluation of hologram aberrations by ray tracing," *J. Opt. Soc. Am.*, 57: 1522-1526, Dec. 1967.
- Bertolotti, M., Gori, F., and Guattari, G., "Coherence requirements in holography," *J. Opt. Soc. Am.*, 57: 12, 1526-1529, Dec. 1967.
- Cathey, W. T., Jr., "Use of sampling theory in holography," *J. Opt. Soc. Am.*, 56: 1449, Oct. 1966, (abstract only).
- Champagne, E. B., "A study of aberrations in holography," *J. Opt. Soc. Am.*, 57: 560, Apr. 1967, (abstract only).
- Champagne, E. B., "Nonparaxial imaging, magnification, and aberration properties in holography," *J. Opt. Soc. Am.*, 57: 51-55, Jan. 1967.
- Cutrona, L. J., "Some considerations in holography," *Progr. in Radio Science*, 1963-1966, Part II, 2242-2276, 1967.
- Davaney, A. J., and Baron, S., "An inte-

gral transform for analytical manipulation of holograms," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

- De Velis, J. B., and Reynolds, G. O., "Three dimensional hologram reconstruction and image speckle," *J. Soc. Photo-Opt. Instrumentation Engrs.*, 5: 188-190, June-July 1967.
- Diamond, F. I., "Magnification and resolution in wavefront reconstruction," *J. Opt. Soc. Am.*, 57: 503-508, Apr. 1967.
- Leith, E. N., and Upatnick, J., "Recent advances in holography," *Progress in Optics*, vol. 6, 3-52, (Wolf, E., Ed., John Wiley, New York, N.Y., 1967).
- Lohmann, A. W., "Methods of influencing the optical contrast transfer of image-forming devices," *Communication and Information Theory Aspects of Modern Optics*, 51-90 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).
- Meier, R. W., "Holographic image types and their aberrations," *J. Opt. Soc. Am.*, 56: 1448, Oct. 1966, (abstract only).
- Mittra, R., "Diffraction theory of imaging with application to holography and other systems," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Neumann, D. B., "Holography of moving scenes," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).
- Parrent, G. B., Jr., and Reynolds, G. O., "Space-bandwidth theorem for holograms," *J. Opt. Soc. Am.*, 56: 1400-1401, Oct. 1966.
- Pistolokors, A. A., "A contribution to the theory of the holographic microscope," *Akad. Nauk S.S.S.R. Doklady*, 176: no. 4, 816-819, Oct. 1, 1967.
- Pistolokors, A. A., "Resolving power of a hologram," *Soviet Physics "Doklady"*, 12: 79-81, July 1967.
- Reynolds, G. O., and De Velis, J. B., "Hologram coherence effects," *IEEE Trans. Antennas Propagation*, AP-15: 41-48, Jan. 1967.
- Saccocio, E. J., "Application of the dynamical theory of x-ray diffraction to holography," *J. Appl. Phys.*, 38: 3994-3998, Sept. 1967.
- Sherman, G. C., "Reconstructed wave forms with large diffraction angles," *J. Opt. Soc. Am.*, 57: 1160-1161, Sept. 1967.
- Stigliani, D. J., Jr., Semonin, R. G., and Mittra, R., "Film resolution and holographic recordings," *Proc. IEEE*, 55: 1509-1511, Aug. 1967.
- Stroke, G. W., "Theoretical and experimental foundations for the attainment of high resolutions in holographic microscopy of three-dimensional objects," *J. Opt. Soc. Am.*, 57: 563, Apr. 1967, (abstract only).
- Van Heerden, P. J., "Information retrieval from holograms," *J. Opt. Soc. Am.*, 57: 1403, Nov. 1967, (abstract only).

## 8. Holographic Images and Their Properties

- Champagne, E. B., "A study of aberrations

# When some things don't change



You can come to Pinewood Studios many ways. Road, rail and, 'though we don't make a point of it, by the Grand Union Canal. You can also come by helicopter and on a clear day you can see forever. Which is just one reason they come from all over to make films at Pinewood. Look, for example, at this aerial picture of the studios, its surrounding 92 acres and horizon. Now, a director can set up his cameras on the lot, aim his viewfinder and pan a good 240 degrees without it being cluttered by chimneys, factories, smoke and other extraneous eyesores.

A perfect foreground, middleground, background and horizon.



**THE RANK ORGANISATION**  
**Film Production Division, Pinewood Studios,**  
**Iver Heath, Buckinghamshire, England.**  
**Tel: Iver 700. Grams: Jarpro Iver Heath.**

Incidentally, figuratively speaking one of the definitions of horizon is "limit of mental perception, experience, interest, etc."

In 1934 when the 92 acres were bought for filming that 240 degrees view was just about the same as it is today.

They always have been clever at Pinewood Studios, Iver Heath, Buckinghamshire, England, because they have more ways than one to look at an horizon, even though they never admit the sky's the limit.

**Pinewood**  
(the leading film studios in Europe)  
**is world-wide**

in holography," *J. Opt. Soc. Am.*, 57: 560, Apr. 1967, (abstract only).

Champagne, E. B., "Nonparaxial imaging, magnification, and aberration properties in holography," *J. Opt. Soc. Am.*, 57: 51-55, Jan. 1967.

Cindrich, I., "Image scanning by rotation of a hologram," *Appl. Optics*, 6: 1531-1534, Sept. 1967.

Cutrona, L. J., "Some considerations in holography," *Progress in Radio Science, 1963-1966, Part II*, 2242-2276, 1967.

Devaney, A. J., and Grauling, C. R., "A technique for obtaining a nonpseudoscopic real image from holograms," *Appl. Phys. Letters*, 11: 289-291, Nov. 1, 1967.

Gaskill, J. D., "Imaging through a randomly inhomogeneous medium by wavefront-reconstruction," *J. Opt. Soc. Am.*, 57: 1419, Nov. 1967, (abstract only).

Gerritsen, H. J., "Image processing with nonlinear optics," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Kiemle, H., "Nichtpseudoskopische, reelle bilder von beliebigen hologrammen," *Phys. Letters*, 25A: 412-414, Sept. 25, 1967.

Kock, W. E., Rosen, L., and Stroke, G. W., "Focused-image holography — a method for restoring the third dimension in the recording of conventional-focused photographs," *Proc. IEEE*, 55: 80-81, Jan. 1967.

Marom, E., and Fritzler, D., "Holographic image formation in the presence of lenses," *J. Opt. Soc. Am.*, 57: 559, Apr. 1967, (abstract only).

Meier, R., "Optical properties of holographic images," *J. Opt. Soc. Am.*, 57: 895-900, July 1967.

Meier, R. W., "Holographic image types and their aberrations," *J. Opt. Soc. Am.*, 56: 1448, Oct. 1966, (abstract only).

Mitra, R., "Diffraction theory of imaging with application to holography and other systems," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Reynolds, G. O., "Magnification limitations in holography," *J. Opt. Soc. Am.*, 56: 1414, Oct. 1966, (abstract only).

Rosen, L., "Holograms of the aerial image of a lens," *Proc. IEEE*, 55: 79-80, Jan. 1967.

Rosen, L., "The pseudoscopic inversion of holograms," *Proc. IEEE*, 55: 118, Jan. 1967.

Rotz, F. B., and Friesem, A. A., "Errata — Holograms with nonpseudoscopic real images," *Appl. Phys. Letters*, 8: 240, May 1, 1966 (see Rotz, F. B., and Friesem, A. A., *Appl. Phys. Letters*, 8: 146-148, Mar. 15, 1966).

Van Ligten, R. F., and Lawton, K. C., "Image separation by pupil separation in multiple-exposure holography," *J. Opt. Soc. Am.*, 57: 559, Apr. 1967 (abstract only).

## 9. Properties of the Hologram

Brandt, G. B., and Rigler, A. K., "Reflection holograms of focused images," *Phys. Letters*, 25A: 68-69, July 31, 1967.

De Velis, J. B., Raso, D. J., and Reynolds, G. O., "Effect of source size on the resolution in Fourier-transform holography," *J. Opt. Soc. Am.*, 57: 843-844, June 1967.

De Velis, J. B., and Reynolds, G. O., "Three dimensional hologram reconstruction and image speckle," *J. Soc. Photo-Opt. Instrumentation Engrs.*, 5: 188-190, June-July 1967.

Francon, M., Lowenthal, S., May, M., and Prat, R., "Application of the techniques of holography to the transfer function," *Comp. Rend. Acad. Sci., Ser. B*, 263: 237-240, July 18, 1967.

Gabor, D., "Holograms as optical elements," *J. Opt. Soc. Am.*, 57: 562, Apr. 1967, (abstract only).

Goodman, J. W., "Temporal filtering properties of holograms," *Appl. Optics*, 6: 857-859, May 1967.

Kogelnik, H., "Response and efficiency of five hologram types," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Konstantinov, B. P., Zaidel, A. N., Konstantinov, V. B., and Ostrouskii, I. I., "Coherent light photography—Experimental technique and resolving power," *Soviet Phys.-Tech. Phys.*, 11: 1279-1281, Mar. 1967.

Leith, E. N., "Recent results in holography," *Proc. 8th Annual Electron and Laser Beam Symposium*, 21-37, Ann Arbor, Mich., Apr. 6-8, 1966.

Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des fréquences spatiales, holographie," *Rev. Opt.*, 46: 1-46, Jan. 1967.

Marom, E., and Fritzler, D., "Holographic image formation in the presence of lenses," *J. Opt. Soc. Am.*, 57: 559, Apr. 1967, (abstract only).

Oster, G., "Holography as a moire phenomenon," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Plummer, W. T., "Ghost lines in spectra from an interferometric hologram," *Japan. J. Appl. Phys.*, 6: 1250-1251, Oct. 1967.

Rosen, L., "Apparent rotation of hologram virtual images," *J. Opt. Soc. Am.*, 57: 278-279, Feb. 1967.

Saccocio, E. J., "Application of the dynamical theory of x-ray diffraction to holography," *J. Appl. Phys.*, 38: 3994-3998, Sept. 1967.

Saccocio, E. J., "The Borrmann effect in holography," *J. Opt. Soc. Am.*, 57: 559, Apr. 1967, (abstract only).

Schwar, M. J. R., Pandya, T. P., and Weinberg, F. J., "Point holograms as optical elements," *Nature*, 215: 239-241, July 15, 1967.

Van Heerden, P. J., "Information retrieval from holograms," *J. Opt. Soc. Am.*, 57: 1403, Nov. 1967, (abstract only).

Vilkomerson, D. H. R., and Bostwick, D., "Some effects of emulsion shrinkage on a hologram's image space," *Appl. Optics*, 6: 1270-1272, July 1967.

## 10. Experimental Procedures and Techniques in Holography

Albergotti, J. C., "Instant holograms," *Am. J. Phys.*, 35: 1092-1093, Nov. 1967.

Bakhrakh, L. D., Sobolev, G. A., and Fridman, G. Kh., "The obtaining of holograms of three-dimensional objects," *Radiofizika*, 10: 589-590, 1967.

Barber, H. P., "Coherence-length extension of He-Ne lasers for holography,"

*J. Opt. Soc. Am.*, 57: 574, Apr. 1967, (abstract only).

Bolstad, J. O., "Holograms and spatial filters processed and copied in position," *Appl. Optics*, 6: 170, Jan. 1967.

Bryngdahl, O., and Lohmann, A. W., "Reconstruction of ancient holograms," *J. Opt. Soc. Am.*, 57: 574, Apr. 1967, (abstract only).

Carpenter, R. L., and Clifford, K. I., "Simple inexpensive hologram viewer," *J. Opt. Soc. Am.*, 57: 276, Feb. 1967.

Casler, D. H., and Pruett, H. D., "Simultaneous exposure-development of holograms on 649-F film," *Appl. Phys. Letters*, 10: 341-342, June 15, 1967.

Caulfield, H. J., Harris, J. L., and Hemstreet, H. W., Jr., "Local reference beam generation in holography," *Proc. IEEE*, 55: 1758, Oct. 1967.

Caulfield, H. J., and Harris, J. L., "Light pipe holography," *Appl. Optics*, 6: 1272, July 1967.

Caulfield, H. J., and Beyen, W. J., "Birefringent beam splitting for holography," *Rev. Sci. Instr.*, 38: 977-978, July 1967.

Cochran, G., "Techniques for the production and use of very large and very small holograms," *Opt. Spectra*, 1: 35, Jan. 1967.

Collier, R. J., and Pennington, K. S., "Multicolor imaging from holograms formed on two-dimensional media," *Appl. Optics*, 6: 1091-1095, June 1967.

De, M., and Sevigny, L., "Three-beam holography," *Appl. Phys. Letters*, 10: 78-79, Feb. 1, 1967.

Devaney, A. J., and Grauling, C. R., "A technique for obtaining a nonpseudoscopic real image from holograms," *Appl. Phys. Letters*, 11: 289-291, Nov. 1, 1967.

Friesem, A. A., Kozma, A., and Adams, G. F., "Investigation of hologram recording parameters," *J. Opt. Soc. Am.*, 56: 1449-1450, Oct. 1966, (abstract only).

Hoffman, A. S., Doidge, J. G., and Mooney, D. G., "Inverted reference-beam hologram," *J. Opt. Soc. Am.*, 55: 1559, Nov. 1965.

Jeong, T. H., "Cylindrical holography and some proposed applications," *J. Opt. Soc. Am.*, 57: 1396-1398, Nov. 1967.

Kakichashvili, Sh. D., Mumladze, V. V., and Ramishvili, N. M., "New method of obtaining high-resolution holograms," *JETP Letters*, 5: 305-307, May 15, 1967.

Kiemle, H., "Nichtpseudoskopische, reelle bilder von beliebigen hologrammen," *Phys. Letters*, 25A: 412-414, Sept. 25, 1967.

Klimenko, I. S., Matinyan, E. G., and Rukman, G. I., "Reconstruction, in white light, of interference-pattern images produced by holograms obtained by double exposure," *JETP Letters*, 6: 57-58, Aug. 1, 1967.

Klimenko, I. S., and Rukman, G. I., "Gabor wavefront reconstruction by means of a laser," *Optics and Spectroscopy*, 21: 409-410, Dec. 1966.

Kock, W. E., Rosen, L., and Stroke, G. W., "Focused-image holography — a method for restoring the third dimension in the recording of conventional-focused photographs," *Proc. IEEE*, 55: 80-81, Jan. 1967.

Komar, A. P., Stabnikov, M. V., and Turukhano, B. G., "Holography using a

GREAT THINGS ARE DEVELOPING AT DU ART

DU ART FILM LABS/DU ART COLOR CORP. 245 WEST 55 STREET, NEW YORK, N.Y. 10019 / PL 7-4580  
IN CANADA: ASSOCIATED SCREEN INDUSTRIES, LTD., 2000 NORTHCLIFFE AVE., MONTREAL





## MARK OF EXCELLENCE

- Reflectar Mirror Optics  
20", 40", 80", 100", lightweight and hyper-stabilized, manual and remote-controlled for television and instrumentation cameras
- Zoomar "500" Sport-Reflectar  
for 35mm Single Lens Reflex Motion Picture and Television Cameras
- Zoom Lenses  
for television cameras, zoom ranges to 20:1, manual and remote controlled.
- 2-IN-1 Tracking Systems
- Radar Boresight Cameras
- Tracking Telescopes
- Tracking Zoomars
- Opticometer  
Mark I and Mark II
- Modulation Transfer Function Meter
- Zoomar Macro-Kilars  
for 35mm SLR, 2 1/4" x 2 1/4" SLR, and 16mm "C" Mount M.P. Cameras
- Macro-Zoomar  
for Single Lens Reflex Cameras
- SEI Exposure Photometer  
The Ultimate in Light Measurement  
Brightness Angle: 1 to 1 million  
Min. Acceptance Angle: 1°

**ZOOMAR, INC.**


55 Sea Cliff Avenue, Glen Cove, L. I., New York 11542 516/676-1900  
IN CALIFORNIA:  
6725 Sunset Boulevard, Hollywood, California 90028 213/465-2789

- direct reference beam," *Soviet Phys. "Doklady,"* 12: 371-373, Oct. 1967.
- Konstantinov, B. P., Zaidel, A. N., Konstantinov, V. B., and Ostrouskii, I. I., "Coherent light photography — experimental technique and resolving power," *Soviet Phys. — Tech. Phys.,* 11: 1279-1281, Mar. 1967.
- Lamacchia, J. T., and White, D. L., "Coded multiple-exposure holograms," *J. Opt. Soc. Am.,* 57: 1413, Nov. 1967, (abstract only).
- Lehmann, M., "Photographic detection of holograms," *J. Opt. Soc. Am.,* 57: 1414, Nov. 1967, (abstract only).
- Lehmann, M., "Simple holographic setup," *J. Opt. Soc. Am.,* 56: 1448, Oct. 1966, (abstract only).
- Lehmann, M., "Photography for optical measurements," *WESCON Tech. Papers,* 9: Part 6, Paper 13.3, 4, 1965.
- Leith, E. N., "Some recent results in holography," *Progress in Radio Science, 1963-1966, Part II,* 2241, 1967, (abstract only).
- Lin, L. H., "Increase of hologram image separation by total reflection," *Appl. Optics,* 6: 2004-2005, Nov. 1967.
- Lin, L. H., "Increase of hologram image separation by total reflection," *J. Opt. Soc. Am.,* 57: 1413, Nov. 1967, (abstract only).
- Lohmann, A. W., "Interlace-Multiplex holography," *IBM Tech. Disclosure Bull.,* 10: 433, Sept. 1967.
- Long, L. T., and Parks, J. A., "Inexpensive holography," *Am. J. Phys.,* 35: 773-774, Aug. 1967.
- Lu, S., Hemstreet, H. W., Jr., and Caulfield, H. J., "Holography of moving objects," *Phys. Letters,* 25A: 294-295, Aug. 28, 1967.
- Luric, M., "Holography of moving objects — measurement of small displacements," *J. Opt. Soc. Am.,* 57: 573-574, Apr. 1967, (abstract only).
- Marchant, M., and Knight, D., "Multiple recording of holograms," *Optica Acta,* 14: 199-201, Apr. 1967.
- Martienssen, W., and Spiller, S., "Holographic reconstruction without granulation," *Phys. Letters,* 24A: 126-128, Jan. 16, 1967.
- McIroy, D. O., "Holograms with increased range coverage," *Appl. Optics,* 6: 2005, Nov. 1967.
- Mikaelyan, A. L., Razumov, L. N., Sakharova, N. A., and Turkov, Yu. G., "Production of Fourier holograms with the aid of a pulsed ruby laser," *JETP Letters,* 5: 119-121, Mar. 1, 1967.
- Monneret, J., "Holographic dynamique," *Comp. Rend. Acad. Sci., Ser. B,* 264: 1306-1308, May 3, 1967.
- Montgomery, W. D., "Artificial reconstructions in incoherent holography," *J. Opt. Soc. Am.,* 56: 1415, Oct. 1966, (abstract only).
- Neumann, D. B., "Holography of moving scenes," *J. Opt. Soc. Am.,* 57: 1406, Nov. 1967, (abstract only).
- Neumann, D. B., and Rose, H. W., "Improvement of recorded holographic fringes by feedback control," *Appl. Optics,* 6: 1097-1104, June 1967.
- Neumann, D. B., "Stabilization of holographic interference fringes by feedback control," *J. Opt. Soc. Am.,* 56: 1448, Oct. 1966, (abstract only).

**Want to put new life  
in a tired lab processor?**

**Call  
TREISE!**

**Your best source for  
fine quality accessories  
and replacement parts**




If your lab processor is performing "below par," give it a new lease on life with fine quality Treise accessories! Our new-type heat exchangers and precision controls accommodate the higher temperatures required by the latest film emulsions. We can supply you with new ball-bearing rollers guaranteed to "roll free," improved film spools and bearings, sound track applicators with micrometer control, self-powered wax applicators, high efficiency squeegees, close-tolerance sprockets, and many other accessories specially designed for smoother processor performance.

**WE BUILD . . . REBUILD . . . or REPLACE!**

Treise engineers have the specialized knowledge needed to build any size of continuous lab processor . . . from small compact B&W models to high speed 150 fpm capacity color processors, and to provide maximum film capacity consistent with high quality and within practicable budget limits. Whatever you buy from Treise — from a giant processor to a tiny part—you have the assurance of performance possible only from a manufacturer noted for its outstanding laboratory experience!

**WRITE FOR CATALOG on TREISE  
PROCESSORS and ACCESSORIES!**



**TREISE ENGINEERING, INC.**

1941 FIRST STREET • SAN FERNANDO, CALIFORNIA 91340 • (213) 365-3124

# Super "C's" for Super 8

Now get super quality and super speeds in your super 8 m/m printing operation.

Bell and Howell now offers three distinct super 8 m/m printers built to model C standards, each intended for a specific printing requirement.

Ranging from automatic scene to scene additive color correction model with high speed program tape reader, to a density correcting one light print type, all designed to help you make more profit and maintain consistent print quality.

Write or call today for complete information.

## PROFESSIONAL EQUIPMENT DIVISION

7100 McCORMICK ROAD, CHICAGO, ILL. 60645 U.S.A.



# BELL & HOWELL

**CANADA**  
BELL & HOWELL CANADA LTD.  
88 INDUSTRY STREET  
TORONTO 15, ONTARIO, CANADA

**INTERNATIONAL**  
BELL & HOWELL, LTD.  
GREAT WEST HOUSE • GREAT WEST ROAD  
BRENTFORD, MIDDLESEX, ENGLAND

**CENTRAL—SOUTH AMERICA**  
BELL & HOWELL/INTERNATIONAL  
7100 McCORMICK ROAD  
CHICAGO, ILLINOIS 60645 U.S.A.

- Redakci, D., "Holography by division of amplitude," *Czechoslov. J. Phys.*, 17: no. 4, 379, 1967.
- Rogers, G. L., "Device for aligning a pin-hole with a microscope objective," *J. Sci. Instr.*, 43: 763-764, Oct. 1966.
- Rose, H. W., "Application of fringe stabilization servo for phase compensation of scene motion and optical frequency differences," *J. Opt. Soc. Am.*, 56: 1448-1449, Oct. 1966, (abstract only).
- Rosen, L., and Clark, W., "Film plane holograms without external source reference beams," *Appl. Phys. Letters*, 10: 140-142, Mar. 1, 1967.
- Rosen, L., "Focusing hologram diffraction grating," *Rev. Sci. Instr.* 38: 438-440, Mar. 1967.
- Rosen, L., "Holograms of the aerial image of a lens," *Proc. IEEE*, 55: 79-80, Jan. 1967.
- Ross, R. M., "Ring hologram for 3-D display—single concept motion picture," *IBM Tech. Disclosure Bull.*, 9: 390, Sept. 1966.
- Rotz, F. B., and Friesem, A. A., "Errata—holograms with nonpseudoscopic real images," *Appl. Phys. Letters*, 8: 240, May 1, 1966 (see Rotz, F. B., and Friesem, A. A., *Appl. Phys. Letters*, 8: 146-148, Mar. 15, 1966).
- Shewell, J. R., "Beam ratios in holography," *J. Opt. Soc. Am.*, 57: 560, Apr. 1967, (abstract only).
- Spitz, E., "Reconstitution holographique des objets à travers un milieu diffusant en mouvement," *Comp. Rend. Acad. Sci., Ser. B*, 264: 1449-1451, May 22, 1967.
- Spitz, E., and Werts, A., "Transmission des images à travers une fibre optique," *Comp. Rend. Acad. Sci., Ser. B*, 264: 1015-1018, Apr. 3, 1967.
- Stabnikov, M. V., Turkhano, B. G., and Naidenkov, A. F., "Holography of media with small variation of refractive index," *Soviet Phys.—Tech. Phys.*, 12: 709, Nov. 1967.
- Stetson, K. A., "Holography with total internally reflected light," *Appl. Phys. Letters*, 11: 225-226, Oct. 1, 1967.
- Stetson, K. A., "Holographic fog penetration," *J. Opt. Soc. Am.*, 57: 1060-1061, Aug. 1967.
- Stetson, K. A., "Holographic fog penetration," *J. Opt. Soc. Am.*, 57: 573, Apr. 1967, (abstract only).
- Stroke, G. W., "Theoretical and experimental foundations for the attainment of high resolutions in holographic microscopy of three-dimensional objects," *J. Opt. Soc. Am.*, 57: 563, Apr. 1967, (abstract only).
- Stroke, G. W., Funkhouser, A., Leonard, C., Indebetouw, G., and Zech, R. G., "Hand-held holography," *J. Opt. Soc. Am.*, 57: 110, Jan. 1967.
- Stroke, G. W., "Spectroscopic implications of new holographic imaging methods," *Physica*, 33: no. 1, 253-267, 1967.
- Stroke, G. W., Westervelt, F. H., and Zech, R. G., "Holographic synthesis of computer-generated holograms," *Proc. IEEE*, 55: 109-111, Jan. 1967.
- Strong, C. L., and Heumann, S. M., "The amateur scientist—How to make holograms and experiment with them or with ready-made holograms," *Scientific American*, 216: 122-128, Feb. 1967.
- Upatnicks, J., and Leith, E. N., "Holography with achromatic-fringe systems,"

*When you want  
the very best*

**COLOR**  
by  
**DE LUXE**

**DE LUXE**  **GENERAL**

NEW YORK  
(212) 247-3220

HOLLYWOOD  
(213) 462-6171

CHICAGO  
(312) 726-2975

HUGHES ELECTRONICS  
*Salutes*  
**SMPTE**



**Hughes Electronics Company**  
 5271 W. Jefferson Blvd., Los Angeles, Calif. 90016  
 Telephone Area Code (213) 937-2160

**Carbon Arc Rectifiers**  
**Xenon Lamps and Rectifiers**  
**Igniters**  
**Osram Bulbs**  
**Projector Conversions**



*J. Opt. Soc. Am.*, 57: 563, Apr. 1967, (abstract only).

Upatnieks, J., "Improvement of micro-image quality in holography and other coherent systems," *J. Opt. Soc. Am.*, 56: 1448, Oct. 1966, (abstract only).

Vandewarker, R., and Snow, K., "Low spatial frequency holograms of solid objects," *Appl. Phys. Letters*, 10: 35-36, Jan. 15, 1967.

Van Lighten, R. F., and Lawton, K. C., "Image separation by pupil separation in multiple-exposure holography," *J. Appl. Phys.*, 38: 1994-1996, Mar. 15, 1967.

Ward, J. H., and Thompson, B. J., "In-line hologram system for bubble-chamber recording," *J. Opt. Soc. Am.*, 57: 275-276, Feb. 1967.

Wolpert, D., "The hologram and the reconstruction of wavefronts," *Bildmessung u. Luftbildwesen*, 34: 31-37, Mar. 1, 1966.

Yoshihara, K., and Kitage, A., "Holographic spectra using a triangle path interferometer," *Japan. J. Appl. Phys.*, 6: 116, Jan. 1967.

Zaidel, A. N., Ostrovskaya, G. V., Ostrovskii, Yu. I., and Chelidze, T. Ya., "Time-resolved holography of laser-produced plasmas," *Soviet Phys. — Tech. Phys.*, 11: 1650-1652, June 1967.

### 11. Computer Generated Holograms and Spatial Filters

Burch, J. J., "A computer algorithm for the synthesis of spatial filters," *Proc. IEEE*, 55: 599-601, Apr. 1967.

Chutjian, A., and Collier, R. J., "Recording and reconstructing three-dimensional images of computer-generated subjects by Lippmann integral photography," *J. Opt. Soc. Am.*, 57: 1405, Nov. 1967, (abstract only).

Cooley, J. W., and Tukey, J. W., "An algorithm for machine calculation of complex Fourier series," *Mathematics of Computation*, 19: 297-301, Apr. 1965.

Davaney, A. J., and Baron, S., "An integral transform for analytical manipulation of holograms," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N. Y.

Dick, D. E., and Wertz, H. J., "Analog and digital computation of Fourier series and integrals," *IEEE Trans. Electronic Computers*, EC-16; 8-13, Feb. 1967.

Goodman, J. W., and Lawrence, R. W., "Digital image formation from electronically detected holograms," *Appl. Phys. Letters*, 11: 77-79, Aug. 1, 1967.

Hirsch, D. M., Lesem, L. B., and Jordon, J. A., Jr., "Applications of computer generated holograms," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).

Lerman, S. H., Minnick, W. A., Rimmer, M. P., and Shannon, R. R., "New method of computing the optical-transfer function," *J. Opt. Soc. Am.*, 57: 566, Apr. 1967, (abstract only).

Lesem, L. B., Hirsch, P. M., and Jordon, J. A., Jr., "Computer synthesis of large scale holograms," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).

Lesem, L. B., Hirsch, P. M., and Jordan, J. A., Jr., "Computer generation and reconstruction of holograms," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Lohmann, A. W., "Some spatial filtering

in the  
winner's  
circle



## **HUNT BULK CHEMICALS**

*Modern manufacturing facilities and diligent quality control laboratory techniques guarantee the greatest possible uniformity. Because Hunt chemicals meet the requirements of the United States of America Standards Institute, production managers can be assured of processing uniformity. The consistency of Hunt Chemicals guarantee processing labs maximum control of their own processing solutions. How about service . . . we're set for the day-in, day-out pressure motion picture processing production calls for. Hunt has modern warehousing facilities and efficient order and traffic departments that process and deliver your orders quickly. Request a copy of our latest Hunt Bulk Chemical Price Brochure from your nearest Hunt branch or sales office.*

**PHILIP A. HUNT CHEMICAL CORPORATION**

Palisades Park, New Jersey • Branches in Principal Cities • PHILIP A. HUNT COMPANY (CANADA) LTD. Toronto



# THE CAMERA MART INC.

1845 BROADWAY (60th ST.) NEW YORK, N.Y. 10023 ○ 212-757-6977

SALES ○ SERVICE ○ RENTALS

## ColorTran Lighting Equipment & Accessories




### COLORTRAN QUARTZ KING LIGHTS

500, 650 and 1000 watt Dual quartz lights or 650 and 1000 watt focusing quartz light from spot to flood with fingertip control. Lightweight, compact. Wide range of applications. Smooth even lighting, no hot spots. fr. \$33.90




### COLORTRAN SUPER-BEAM "1000"

A 1K lensless "Quartz" light that approaches the performance of a 2k fresnel-type unit. Uses a single-ended, 1000 watt (3200° K) Tungsten-Halogen "Quartz" frosted lamp, 120V, AC/DC. Beam is well-defined with minimum "spill." Variable full focusing control-spot to flood. \$125.00




LQS-20



LQBM — 20 Double Broad

LQS-10



LQBM — 1000-W Single Broad with Four Way Barndoors



### COLORTRAN SOFT LITE

Shadowless "North Sky" illumination. Exceptionally smooth, even coverage. New type reflector. No "filament sing". From 750 to 4000 watts. fr. \$79.00

### COLORTRAN BROADS

Singles. Doubles. Variable Focus. Fixed Focus. High performance Tungsten-Halogen Quartz lights for TV and motion picture studio use. Designed for very wide powerful fill light. fr. \$60.00



### COLORTRAN DIMMERS

portable, individual electronic dimmers. Solid-state circuitry utilizes a single silicon symmetrical switching device. Smooth, continuous dimming is provided with instantaneous response. Each dimmer has its own integral dimming control potentiometer. fr. \$96.00

### COLORTRAN MULTI-BEAM "30"

A 30-Volt battery-operated Tungsten-Halogen "Quartz" light, extremely powerful, lightweight and portable with fingertip full-focusing control from spot to flood. Focusing knob and on-off switch on handle. \$92.90  
Colortran 30-Volt Battery Pack (Portable) available for use with Multi-Beam "30" \$415.00



Complete line of Tungsten-Halogen Lamps in stock from 500 watt - 1000 watt.

LIKE-NEW SHOWROOM DEMONSTRATORS AVAILABLE Write for descriptive literature.

LOOK TO CAMERA MART FOR EVERYTHING YOU NEED FOR MOTION PICTURE PRODUCTION

experiments," *J. Opt. Soc. Am.*, 57: 1405, Nov. 1967, (abstract only).

Lohmann, A. W., and Paris, D. P., "Binary Fraunhofer holograms, generated by computer," *Appl. Optics*, 6: 1739-1748, Oct. 1967.

Lohmann, A. W., and Paris, D. P., "Variable Fresnel zone pattern," *Appl. Optics*, 6: 1567-1570, Sept. 1967.

Lohmann, A. W., "Variable Fresnel zone pattern," *IBM Tech. Disclosure Bull.*, 10: 407-412, Sept. 1967.

Lohmann, A. W., Paris, D. P., and Werlich, H. W., "A computer generated spatial filter applied to code translation," *Appl. Optics*, 6: 1139-1140, June 1967.

Lohmann, A. W., and Paris, D. P., "Variable Fresnel zone pattern," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Lohmann, A. W., and Paris, D. P., "Computer generated spatial filters for optical data processing," *J. Opt. Soc. Am.*, 56: 1413, Oct. 1966, (abstract only).

Meyer, A. J., and Hickling, R., "Holograms synthesized on a computer-operated cathode ray tube," *J. Opt. Soc. Am.*, 57: 1388-1389, Nov. 1967.

Meyer, A. J., "Holograms created via a computer-driven cathode ray tube," *J. Opt. Soc. Am.*, 57: 1405-1406, Nov. 1967, (abstract only).

Paris, D. P., "Digital simulation of image-forming systems," *IBM J. Res. Dev.*, 10: 407-411, Sept. 1966.

Paris, D. P., "Computer simulation of photo-optical image-forming systems," *Phot. Sci. Eng.*, 10: 69-76, Mar.-Apr. 1966.

Pole, R. V., "Computer-generated 3-D displays," *IBM Tech. Disclosure Bull.*, 10: 598-600, Oct. 1967.

Pole, R. V., and Thorpe, R. A., "Real-time computer-generated 3-D display," *IBM Tech. Disclosure Bull.*, 10: 601-603, Oct. 1967.

Rosen, L., "Moire effects in computer-generated holograms," *Proc. IEEE*, 55: 1736-1737, Oct. 1967.

Stroke, G. W., Westervelt, F. H., and Zech, R. G., "Holographic synthesis of computer-generated holograms," *Proc. IEEE*, 55: 109-111, Jan. 1967.

Waters, J. P., "Holographic image synthesis utilizing theoretical methods," *Appl. Phys. Letters*, 9: 405-407, Dec. 1, 1966.

## 12. Types of Holograms

Brandt, G. B., and Rigler, A. K., "Reflection holograms of focused images," *Phys. Letters*, 25A: 68-69, July 31, 1967.

Bryngdahl, O., and Lohmann, A., "Modified holographic image formation," *J. Opt. Soc. Am.*, 57: 1412, Nov. 1967, (abstract only).

De Velis, J. B., Raso, D. J., and Reynolds, G. O., "Effect of source size on the resolution in Fourier-transform holography," *J. Opt. Soc. Am.*, 57: 843-844, June 1967.

Diamond, F. I., "Magnification and resolution in wavefront reconstruction," *J. Opt. Soc. Am.*, 57: 503-508, Apr. 1967.

Kogelnik, H., "Response and efficiency of five hologram types," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

**This summer  
CAPITAL will be  
volume-printing  
direct reduction  
and contact  
SUPER 8mm**

All you will have to do is supply us with 35mm or 16mm color or b&w original (plus a mixed magnetic track if you desire a sound print.)

We will then be able to make:

1. 16mm reduction dupe negatives
2. 16mm internegatives
3. Super 8mm reduction negatives
4. Super 8mm optical sound transfers
5. Super 8mm magnetic sound transfers
6. Super 8mm optical sound prints
7. Super 8mm magnetic sound prints

To do this, we will be utilizing the latest equipment produced by RCA, Hollywood Film Company, Acme and Bell and Howell.

We think you will be pleased. Contact Sam Gale in Washington.

**CAPITAL** FILM LABORATORIES INC.

470 E ST. S.W. ☆ WASHINGTON, D.C. 20024 ☆ PHONE (202) 347-1717 ☆ TELEX 89-2393  
1998 N.E. 150TH STREET ☆ N. MIAMI, FLA. 33161 ☆ PHONE (305) 949-4252 ☆ TELEX 51-9453

# Meet The Family... America's First Family of Plumbicon\* Color Cameras.

\*Registered trademark for television camera tubes.

**The PC-70 Studio-Field Color Camera.** Now used by all three networks on prime-time shows. Plus a growing list of groups, independents, and videotape producers. Why? Because it offers pictures of truest fidelity. Unquestionably, the finest Plumbicon camera in the world. Because it offers lowest maintenance, simplest set-up, widest selection of lens types around today.



**The PCP-70 "Little Shaver" Portable.** It can do anything the PC-70 can do... but it gets around a lot more. It's the *broadcast quality* portable. For news, special events, sports. You'll see them all over the place this year, wherever the networks go, and at pace-setting independents. They're lightweight, easy to set up, can get the closest, most intricate shots in beautiful, faithful Norelco color.



Last year, more Norelco Plumbicon cameras were sold than any other kind. If you haven't met America's first family of Plumbicon Color Cameras, now's the time to get acquainted. We have modified and improved it further. For example, the new-generation PC-70 has the revolutionary extended red sensitivity Plumbicon tube (as do other members of the family), separate-mesh Plumbicons for finer overall resolution and improved highlight handling capability, external filter wheel control and new, no-guesswork set-up accessories.

It's remarkable. The entire family is


endowed with those important traits that mean so much: All offer extraordinary resolution and color fidelity. They offer camera control unit compatibility from camera to camera. They have interchangeable CCU modules. Stability. Low maintenance. Simplicity and ease of set-up. Economy. Backed up by total Philips Broadcast service. You must meet the family. Call or write, today.

*Norelco*


**PHILIPS BROADCAST  
EQUIPMENT CORP.**

299 Route 17, Paramus, N. J. 07652 • 201/262-7300

**The PCB-701 Remote Pan and Tilt.** The swinging Robot. *Works all by itself.* It pans, tilts, focuses by remote control. Ideal for small studios or networks. You can mount it in a studio, a stadium, an operating room... a *mountaintop*. It offers economy, low maintenance and the superb color reproduction that has made Norelco the number one name in color cameras.



**The PCF-701 Film Camera.** The only three-Plumbicon color film camera in the world! This telecine camera is the heart of a complete film system, and its beam split optical assembly is specifically tailored to the colorimetry requirements of color motion picture film. Now you can show movies and filmed commercials with the breathtaking fidelity that distinguishes Norelco three-Plumbicon color.



Bauer's new Selecton II0 is the permanent installation projector that has everything. It's the ideal projector for schools, screening rooms, studios, advertising agencies and industrial and business installations that can't gamble on quality.

From one of the world's largest manufacturers of professional equipment, the Bauer Selecton II0 offers the most brilliant illumination possible, with a Xenon lamphouse accommodating 450, 900 or 1600 watt lamps.

Its Geneva (Maltese Cross) Movement and automatic "oil bath" lubrication mean steadier, smoother running projection and more positive film protection. And its 5000 foot capacity allows some 2½ hours of uninterrupted film run.

The Selecton II0 doesn't stint on sound quality, either. A built-in solid state pre-amplifier assures high fidelity sound from both optical and magnetic tracks.

All this, plus human-engineered push-button controls and a range of precision projection lenses from 25mm to 75mm. Prices start at \$4,125.


Also studio models with single and double (16/16) band operation, programmed push-button control... full line of accessories.

29 in use at Expo 67!

Allied Impex Corp., 300 Park Ave. South, New York, N. Y. 10010.  
Chicago, Dallas, Los Angeles.



# The best thing yet in a big package.



**Bauer  
SELECTON II0**  
16mm "Push Button"  
Sound Projector

## The New Mark IV 16mm Color Processor



ME4 at 30 FPM  
Ready to run at \$12,850  
27" wide x 57" long x 53" high

For additional information write or call:



**JAMIESON FILM COMPANY**  
3825 BRYAN ST. • DALLAS, TEXAS 75204  
AREA CODE 214 • TAYlor 3-8158

- Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des fréquences spatiales, holographie," *Rev. Opt.*, 46: 1-46, Jan. 1967.
- Meier, R. W., "Holographic image types and their aberrations," *J. Opt. Soc. Am.*, 56: 1448, Oct. 1966, (abstract only).
- Mikaelyan, A. L., Razumov, L. N., Sakharova, N. A., and Turkov, Yu. G., "Production of Fourier holograms with the aid of a pulsed ruby laser," *JETP Letters*, 5: 119-121, Mar. 1, 1967.
- Platonenko, V. T., "Holography (photography and wave front reconstruction)," *Uspekhi Fiz. Nauk*, 90: 199-201, Sept. 1966.
- Reynolds, G. O., "Magnification limitations in holography," *J. Opt. Soc. Am.*, 56: 1414, Oct. 1966, (abstract only).
- Soroko, L. M., "Holography and interference processing of information," *Soviet Phys. Uspekhi*, 9: 643-669, Mar. 1967.
- Stroke, G. W., and Zech, R. G., "A posterior image-correcting 'deconvolution' by holographic Fourier-transform division," *Phys. Letters*, 25A: 89-90, July 31, 1967.
- Stroke, G. W., "Spectroscopic origins and applications of white-light reflection holography," *J. Phys.*, 28: Suppl. to 3-4, 196-203, Mar. 1967.
- Stroke, G. W., "A reformulated general theory of holography," *J. Opt. Soc. Am.*, 57: 563, Apr. 1967, (abstract only).
- Stroke, G. W., "A reformulated general theory of holography," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Stroke, G. W., "Spectroscopic implications of new holographic imaging methods," *Physica*, 33: no. 1, 253-267, 1967.
- Stroke, G. W., "Attainment of high resolutions in image-forming x-ray microscopy with lensless Fourier-transform holograms and correlative source-effect compensation," *Proc. IV X-Ray Congress*, Paris, Sept. 7-10, 1965.

### 13. Color Holograms


- Collier, R. J., and Pennington, K. S., "Techniques for recording color holograms on two-dimensional media," *J. Opt. Soc. Am.*, 56: 1449, Oct. 1966, (abstract only).
- Friesem, A. A., and Fedorowicz, R. J., "Multicolor wavefront reconstruction," *Appl. Optics*, 6: 529-536, Mar. 1967.
- Friesem, A. A., and Fedorowicz, R. J., "Recent advances in multicolor wavefront reconstruction," *Appl. Optics*, 5: 1085-1086, June 1966.
- Leith, E. N., "Recent results in holography," *Proc. 8th Annual Electron and Laser Beam Symposium*, 21-37, Ann Arbor, Mich., Apr. 6-8, 1966.
- Lin, L. H., and Lo Bianco, C. V., "Experimental techniques in making multicolor white light reconstructed holograms," *Appl. Optics*, 6: 1255-1258, July 1967.
- Lin, L. H., and Lo Bianco, C. V., "Experimental techniques in making multicolor white light reconstructed holograms," *J. Opt. Soc. Am.*, 56: 1414, Oct. 1966, (abstract only).
- Marom, E., "Color imagery by wavefront reconstruction," *J. Opt. Soc. Am.*, 57: 101-102, Jan. 1967.
- Tradowsky, K., "Holography high-speed and microphotography with laser

# AURICON 16mm Sound-On-Film for Professional Results!



ALL AURICON EQUIPMENT IS SOLD WITH A 30 DAY MONEY-BACK GUARANTEE.


"CINE-VOICE II" 16 mm Optical Sound-On-Film Camera.  
 \* 100 ft. film capacity for 2¾ minutes of recording; 6-Volt DC Converter or 115-Volt AC operation. \* \$967.00 (and up).



"AURICON PRO-600" 16mm Optical Sound-On-Film Camera.  
 \* 600 ft. film capacity for 16½ minutes of recording. \* \$1871.00 (and up) with 30 day money-back guarantee.



"SUPER 1200" 16 mm Optical Sound-On-Film Camera.  
 \* 1200 ft. film capacity for 33 minutes of recording. \* \$5667.00 (and up) complete for "High-Fidelity" Talking Pictures.



"PRO-600 SPECIAL" 16mm Light-Weight Camera.  
 \* 400 ft. film capacity for 11 minutes of recording. \* \$1,295.00 (and up).



PORTABLE POWER SUPPLY UNIT—Model PS-21... Silent in operation, furnishes 115-Volt AC power to drive "Single System" or "Double System" Auricon Equipment from 12 Volt Storage Battery, for remote "location" filming. \* \$269.50



FILMAGNETIC—Finger points to Magnetic pre-stripe on unexposed film for recording lip-synchronized magnetic sound with your picture. Can be used with all Auricon Cameras. \* \$960.00 (and up).



TRIPOD—Models FT-10 and FT-10S12... Pan-Tilt Head Professional Tripod for velvet-smooth action. Perfectly counter-balanced to prevent Camera "dumping." \* \$406.25 (and up).

## Strictly for Profit CHOOSE AURICON

If it's profit you're after in the production of 16 mm Sound-On Film Talking Pictures, Auricon Cameras provide ideal working tools for shooting profitable Television Newsreels, film commercials, inserts, and local candid-camera programming. Now you can get Lip-Synchronized Optical or Magnetic SOUND WITH your picture using Auricon 16 mm Sound-On-Film Cameras. Precision designed and built to "take it."

Strictly for Profit—Choose Auricon!



## BACH AURICON, Inc.

6946 Romaine St., Hollywood 38, Calif.  
 HOLLYWOOD 2-0931



Write for your free copy of this 74-page Auricon Catalog



\* Auricon Equipment is sold with a 30-day Money-Back Guarantee. You must be satisfied.

MANUFACTURERS OF PROFESSIONAL 16MM CAMERAS SINCE 1931

# The MIGHTY MITE

## Portable Xenon Arc Lamp

for theatre quality 16mm or 35mm projection.

Ideal for screening rooms. Small (12" wide x 19" high x 18 1/2" long) and light. Easily mounted on 35mm and 16mm carbon arc projectors, and most incandescent projectors.

The steady, high intensity daylight white light projects big, brilliant pictures with faithful color reproduction. For 16mm projectors illumination is eight times that obtained from incandescent sources—the maximum the film withstands, and twice that of lower powered enclosed arcs. For 35mm projection illumination equals that of low powered carbon arcs.

Operation costs are about the same as for carbon arcs which project an equal amount of light. The bulb has a life expectancy of over 2,000 hours. No moving parts. "Mighty Mite" Systems, in 450, 900 or 1600 wattages include lamphouse, silicon transformer-rectifier power supply and bulb.

WRITE FOR BROCHURE


**THE Strong ELECTRIC CORPORATION**  
539 City Park Avenue Toledo, Ohio 43601



A SUBSIDIARY OF GENERAL PRECISION EQUIPMENT CORPORATION



# Gryphon offers titanium!



Patented

TYPE 316 ST.STL.

MODEL HB-2 AIR SQUEEGEES

16MM.....\$125.00  
35MM.....\$140.00  
70MM.....\$195.00



\*COMPLETELY  
RESISTANT  
TO EVERY  
PHOTOGRAPHIC  
SOLUTION

\*TITANIUM

16MM.....\$195.00  
35MM.....\$215.00  
70MM.....\$280.00



**GRYPHON CORPORATION**

2806 W. BURBANK BLVD. / BURBANK, CALIFORNIA 91505 / (213) 845-7807

beams," *Chem. Ing. Tech.*, 39: 497-504, May 24, 1967.

#### 14. Incoherent Light Holograms

Brandt, G. B., and Rigler, A. K., "Reflection holograms of focused images," *Phys. Letters*, 25A: 68-69, July 31, 1967.

Bryngdahl, O., and Lohmann, A., "Modified holographic image formation," *J. Opt. Soc. Am.*, 57: 1412, Nov. 1967, (abstract only).

Carpenter, R. L., and Clifford, K. I., "Simple inexpensive hologram viewer," *J. Opt. Soc. Am.*, 57: 276, Feb. 1967.

Cutrona, L. J., "Some considerations in holography," *Progress in Radio Science, 1963-1966, Part II*, 2242-2276, 1967.

De Bitetto, D. J., "White-light viewing of surface holograms by simple dispersion compensation," *Appl. Physics Letters*, 9: 417-418, Dec. 15, 1966.

Klimenko, I. S., Matinyan, E. G., and Rukman, G. I., "Reconstruction, in white light, of interference-pattern images produced by holograms obtained by double exposure," *JETP Letters*, 6: 57-58, Aug. 1, 1967.

Kosourov, G. I., Kalinkina, I. N., and Golovei, M. P., "Reconstruction of an image from a hologram in nonmonochromatic light," *JETP Letters*, 4: 57-58, Aug. 1, 1966.

Leith, E. N., and Upatnieks, J., "Holography with achromatic-fringe systems," *J. Opt. Soc. Am.*, 57: 975-980, Aug. 1967.

Leith, E. N., "Recent results in holography," *Proc. 8th Annual Electron and Laser Beam Symposium*, 21-37, Ann Arbor, Mich., Apr. 6-8, 1966.

Lin, L. H., and Lo Bianco, C. V., "Experimental techniques in making multicolor white light reconstructed holograms," *Appl. Optics*, 6: 1255-1258, July 1967.

Lin, L. H., and Lo Bianco, C. V., "Experimental techniques in making multicolor white light reconstructed holograms," *J. Opt. Soc. Am.*, 56: 1414, Oct. 1966, (abstract only).

Lowenthal, S., and Werts, A., "Restitution d'hogrammes en lumière partiellement cohérente," *Comp. Rend. Acad. Sci., Ser. B*, 264: 971-974, Mar. 29, 1967.

Stroke, G. W., "Spectroscopic origins and applications of white-light reflection holography," *J. Phys.*, 28: Suppl. to 3-4, 196-203, Mar. 1967.

#### 15. Pulsed Light Holograms


Brooks, R. E., "New dimension for interferometry electronics," 40: 88-93, May 15, 1967.

Chau, H. H. M., and Mullancy, G. J., "An example of the application of pulsed light holography to aerodynamics," *Appl. Optics*, 6: 981, May 1967.

Fritzler, D., and Marom, E., "Erratum — pulsed hologram formation of diffusely reflecting objects," *Appl. Phys. Letters*, 11: 212, Sept. 15, 1967 (see Fritzler, D., and Marom, E., *Appl. Phys. Letters*, 11: 16-17, July 1, 1967).

Fritzler, D., and Marom, E., "Pulsed hologram formation of diffusely reflecting objects," *Appl. Phys. Letters*, 11: 16-17, July 1, 1967.

Mikaelyan, A. L., Razumov, L. N., Sakharova, N. A., and Turkov, Yu. G.,



from 15w



power  
supplies

electronic  
components

lamp  
systems

## PEK products

Mercury Short Arc Lamps

Xenon Short Arc Lamps

Xenon Flash Lamps

Xenon Long Arc Lamps

Power Supplies and Systems

*Applications include still,  
motion picture and TV  
projection and lighting  
systems.*

to 20,000w




PEK / 825 E. Evelyn Ave. / Sunnyvale, Calif. 94086  
(408) 245-4111 TWX 910-339-9214

# PEK

Another **F&B/CECO** Exclusive!

## TV RETICLE for the ANGENIEUX 12mm-120mm Zoom Lens



A must for television filming



Installed in your 12mm-120mm Angenieux zoom lens, this new reticle provides an accurate TV frame while the cameraman sees the full field of view. Not a mask, but a piece of precision etched, ground optical flat glass. It outlines a perfect TV frame within the full field, with no loss of resolution or brilliance.

The four corners of the standard projection aperture frame are also engraved on the glass face, while the excess viewing field on all sides of the reticle shows the action just outside the frame.

Price \$75.00

Includes installation on your lens

Available immediately—Send your lens in now.

### F&B/CECO

I Dept. 52,  
M 315 W. 43 St.,  
C. New York, N.Y.

(212) JU 6-1420—Cable CINEQUIP—Telex 1-25497

7051 Santa Monica Blvd., Hollywood, Calif. 90038  
(213) 469-3601.....Telex: 67-4536

51 E. 10th Ave., Hialeah, Fla. 33010 (305) 888-4604  
Branches in: Washington, D.C./Atlanta/New Orleans/Cleveland

## NEW! PROFESSIONAL MAKE-UP KIT

Specially Prepared For  
**COLOR MOTION PICTURE & STILL PHOTOGRAPHY**

By The  
RESEARCH  
COUNCIL OF  
MAKE-UP  
ARTISTS,  
INC.



\$75.00

Complete with Case & Instructions.

Complete New Color Process kit contains over 65 items of foundation bases, eye color, lip color, mascara, lotions, brushes, puffs, etc., plus attractive carrying case and step by step instructions. Includes all make-up required for Ektachrome ECO 7255, EMF 7256, EF 7257 and EF 7258, color negative 5251 and Ansco 242 film stocks. Also ideally suited for color television and theatrical make-up applications.

For free brochure listing over 250 individually priced items and SMPTE technical paper reprint, write or call Exclusive U.S. Distributor.

### F&B/CECO

I Dept. 454  
M 315 W. 43 St.  
C. New York, N.Y.

(212) JU 6-1420—Cable CINEQUIP—Telex 1-25497

7051 Santa Monica Blvd., Hollywood, Calif. 90038  
(213) 469-3601.....Telex: 67-4536

51 E. 10th Ave., Hialeah, Fla. 33010 (305) 888-4604  
Branches in: Washington, D.C./Atlanta/New Orleans/Cleveland

- "Production of Fourier holograms with the aid of a pulsed ruby laser," *JETP Letters*, 5: 119-121, Mar. 1, 1967.
- Ruff, B., "Pulsed laser holography," *Opt. Spectra*, 1: 48-50, Jan. 1967.
- Siebert, L. D., "Front-lighted pulse laser holography," *Appl. Phys. Letters*, 11: 326-328, Nov. 15, 1967.
- Tradowsky, K., "Holography high-speed and microphotography with laser beams," *Chem.-Ing.-Tech.*, 39: 497-504, May 24, 1967.
- Wuerker, R. F., Heflinger, L. O., Brooks, R. E., and Knox, C., "Q-switched ruby-laser holography," *J. Opt. Soc. Am.*, 57: 573, Apr. 1967, (abstract only).

### 16. Polarization Holography

- Bryngdahl, O., "Polarizing holography," *J. Opt. Soc. Am.*, 57: 545-546, Apr. 1967.
- De, M., and Seigny, L., "Polarization holography," *J. Opt. Soc. Am.*, 57: 110-111, Jan. 1967.
- Rudder, C. L., "Polarization filtering in holography," *Appl. Phys. Letters*, 10: 270-272, May 15, 1967.

### 17. Non-Optical Holograms

- Aoki, Y., "Microwave holograms and optical reconstruction," *Appl. Optics*, 6: 1934-1946, Nov. 1967.
- Aoki, Y., Yoshida, N., Tsukamoto, N., and Suzuki, M., "Sound wave hologram and optical reconstruction," *Proc. IEEE*, 55: 1622-1623, Sept. 1967.
- Coslett, V. E., "Present trends in electron microscopy," *Electron Physics*, 291-303 of *Nat. Bur. Standards (U.S.)*, Circ. 527, 1954 (see *Nat. Bur. Standards, Electron Physics*).

- Deschamps, G. A., "Author's Reply, Comment on nonoptical holography," *Proc. IEEE*, 55: 2051, Nov. 1967 (see Deschamps, G. A., *Proc. IEEE*, 55: 570-571, Apr. 1967).
- Deschamps, G. A., "Some remarks on radio frequency holography," *Proc. IEEE*, 55: 570-571, Apr. 1967 (see Maginness, M. G., Deschamps, G. A., *Proc. IEEE*, 2050-2051, Nov. 1967).
- Greguss, P., "Techniques and information content of sonoholograms," *J. Phot. Sci.*, 74: 329-332, Nov.-Dec. 1966.
- Greguss, P., "Pictures by sound," *Perspective (London)*, 8: no. 4, 287-302, 1966.
- Kreuzer, J. L., "Ultrasonic three-dimensional imaging using holographic techniques," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- MacAnally, R. B., "Inclined reference acoustic holography," *Appl. Phys. Letters*, 11: 266-268, Oct. 15, 1967.
- Maginness, M. G., "Comment on non-optical holography," *Proc. IEEE*, 55: 2050-2051, Nov. 1967 (see Deschamps, G. A., *Proc. IEEE*, 55: 570-571, Apr. 1967).
- Massey, G. A., "Acoustic holography in air with an electronic reference," *Proc. IEEE*, 55: 1115-1117, June 1967.
- Metherell, A. F., El-Sum, H. M. A., Dreher, J. J., and Larmore, L., "Introduction to acoustical holography," *J. Acoust. Soc. Am.*, 42: 733-742, Oct. 1967.
- Metherell, A. F., and El-Sum, H. M. A., "Simulated reference in a coarsely sampled acoustical hologram," *Appl. Phys. Letters*, 11: 20-22, July 1, 1967.

- Metherell, A. F., El-Sum, H. M. A., Dreher, J. J., and Larmore, L., "Image reconstruction from sampled acoustical holograms," *Appl. Phys. Letters*, 10: May 15, 1967.
- Metherell, A. F., El-Sum, H. M. A., Dreher, J. J., and Larmore, L., "Optical reconstruction from sampled holograms made with sound waves," *Phys. Letters*, 24A: 547-548, May 8, 1967.
- Mittra, R., and Ransom, P. L., "Aspects of microwave holography," *Electronic Communicator*, 2: 11-12, July/Aug. 1967.
- Preston, K., Jr., and Kreuzer, J. L., "Ultrasonic imaging using a synthetic holographic technique," *Appl. Phys. Letters*, 10: 150-152, Mar. 1, 1967.
- Rope, E. L., and Tricoles, G., "Microwave holograms, wavefront reconstruction, and visible images," presented at *IEEE 1966 International Antenna and Propagation Symposium*, Dec. 5-7, 1966, published in *Symposium Digest—IEEE Catalog no. 3C38*.
- Saccocio, E. J., "Applications of Lloyd's mirror to x-ray holography," *J. Opt. Soc. Am.*, 57: 966, July 1967.
- Tricoles, G., and Rope, E. L., "Reconstruction of visible images from reduced-scale replicas of microwave holograms," *J. Opt. Soc. Am.*, 57: 97-99, Jan. 1967.
- Tricoles, G., and Rope, E. L., "Visible and microwave holography using an inclined reference beam," *J. Opt. Soc. Am.*, 56: 1414, Oct. 1966, (abstract only).
- Young, J. D., and Wolfe, J. E., "A new recording technique for acoustic holography," *Appl. Phys. Letters*, 11: 294-296, Nov. 1, 1967.

### 18. Holographic Displays

- Burckhardt, C. B., "Information reduction in holograms for visual display," *J. Opt. Soc. Am.*, 57: 1412, Nov. 1967, (abstract only).
- Cathey, W. T., Jr., "Use of sampling theory in holography," *J. Opt. Soc. Am.*, 56: 1449, Oct. 1966, (abstract only).
- Haines, K. A., and Brumm, D. B., "Data reduction of holographic information," *J. Opt. Soc. Am.*, 57: 1412-1413, Nov. 1967, (abstract only).
- Haines, K. A., and Brumm, P. B., "A technique for bandwidth reduction in holographic systems," *Proc. IEEE*, 55: 1512-1513, Aug. 1967.
- Huang, T. S., and Stamm, P. L., "Effect of multipath on hologram television systems," *Mass Inst. Tech. Research Lab. Electronics, Quart. Progr. Rept.*, 84: 304-307, Jan. 15, 1967.
- Klimenko, I. S., and Rukman, G. I., "On the regeneration of a wave front by means of hologram transmitted with TV-system," *Zhur. Tekh. Fiz.*, 37: 1532-1534, Aug. 1967.
- Kock, W. E., "Use of lens arrays in holograms," *Proc. IEEE*, 55: 1103-1104, June 1967.
- Lasser, M. E., "Lasers and their application to television systems," *IEEE Trans. Broadcasting, BC-13*, 1-5, Jan. 1967.
- Pole, R. V., "Computer-generated 3-D displays," *IBM Tech. Disclosure Bull.*, 10: 598-600, Oct. 1967.
- Pole, R. V., and Thorpe, R. A., "Real-time computer-generated 3-D display," *IBM Tech. Disclosure Bull.*, 10: 601-603, Oct. 1967.

**M.T.E.**  
**1000**  
**SERIES**  
**MASTER**  
**MAGNETIC**  
**RECORDER**

*Presents a new approach to:*

*POST-SYNCING  
ELECTRONIC EDITING  
SOUND MIXING*

*Features:*


Record and erase ON or OFF not discernible

Cutting IN or OUT during dialogue or music passage makes possible corrections on recorded tracks

Controls for selective or simultaneous recording on multi-track models can be removed

Automatic record defeat in reverse

Plug-in head assemblies interchangeable for 35mm, multi track and 16mm



---

**MAGNA-TECH ELECTRONIC CO., INC.**

630 Ninth Avenue, New York N. Y.

May 1968 Journal of the SMPTE Volume 77

559

# 10 inches at 24 feet

That's the light measurement selectivity you get with the Spotron Professional spot meter. Its 2° acceptance angle lets you zero in on small areas, even at a distance. Gives you precise readings for accurate control of exposure as well as scene contrast.

You see the subject upright and unreversed, the measured area represented by a circular target. The finder needle gives direct LV readings. Independent hi- and lo-level transistor circuits cover extreme range of light conditions. Price is under \$100.

Accessories include: closeup lenses (20", 12" and 4"), incident light attachment, LV/foot-candle scale, hand grip, and case. Also see the lower-priced Spotron Pentaview at your dealer, or write: Spotron division/Ehrenreich Photo-Optical Industries, Inc., Garden City, New York 11530.

(Canada: Anglphoto Ltd., Montreal 9, P.Q.)

**PROFESSIONAL  
SPOTRON**  
CdS Spot  
Exposure  
Meter



## 19. Holographic Recording Media

- Altman, J. H., "Pure relief images in type 649-F plates," *Appl. Optics*, 5: 1689-1690, Oct. 1966.
- Baldwin, W. J., "Determination of the information storage capacity of photochromic glass with holography," *Appl. Optics*, 6: 1428, Aug. 1967.
- Bartfai, J. J., Ozarow, V., and Gaynor, J., "Red-sensitive photoplastic recording film," *Phot. Sci. Eng.*, 10: 60-65, Jan.-Feb. 1966.
- Belvaux, Y., "Influence of emulsion thickness in hologram reconstruction," *Phys. Letters*, 25A: 70-71, July 31, 1967.
- Burckhardt, C. B., "Storage capacity of an optically formed spatial filter for character recognition," *Appl. Optics*, 6: 1359-1366, Aug. 1966.
- Collier, R. J., and Pennington, K. S., "Multicolor imaging from holograms formed on two-dimensional media," *Appl. Optics*, 6: 1091-1095, June 1967.
- Collier, R. J., and Pennington, K. S., "Techniques for recording color holograms on two-dimensional media," *J. Opt. Soc. Am.*, 56: 1449, Oct. 1966, (abstract only).
- De Velis, J. B., and Thompson, B. J., "Importance of photographic grain in optical processing," *J. Opt. Soc. Am.*, 56: 1440, Oct. 1966, (abstract only).
- Fellgett, P., "Concerning photographic grain, signal-to-noise ratio, and information," *J. Opt. Soc. Am.*, 43: 271-282, Apr. 1953.
- Foley, R., and Wendt, F., "Making a high efficiency antihalation backing for photographic plates which eliminates interference bands produced by coherent light," *Appl. Optics*, 6: 977-978, May 1967.
- Friesem, A. A., and Zelenka, J. S., "Effects of film nonlinearities in holography," *Appl. Optics*, 6: 1755-1759, Oct. 1967.
- Friesem, A. A., Kozma, A., and Adams, G. F., "Recording parameters of spatially modulated coherent wavefronts," *Appl. Optics*, 6: 851-856, May 1967.
- Gerritsen, H. J., "Nonlinear effects in image formation," *Appl. Phys. Letters*, 10: 239-241, May 1, 1967.
- Goodman, J. W., "Film-grain noise in wavefront-reconstruction imaging," *J. Opt. Soc. Am.*, 57: 493-502, Apr. 1967.
- Goodman, J. W., "Effects of film nonlinearities on wavefront-reconstruction images of diffuse objects," *J. Opt. Soc. Am.*, 57: 560, Apr. 1967, (abstract only).
- Goodman, J. W., "Film-grain noise in holography," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Hercher, M., and Ruff, B., "High-intensity reciprocity failure in Kodak 649-F plates at 6943 Å," *J. Opt. Soc. Am.*, 57: 103-105, Jan. 1967.
- Kaspar, F. G., and Lamberts, R. L., "A study of photographic characteristics affecting the relative luminance of the reconstructed image of a hologram," *J. Opt. Soc. Am.*, 56: 1414-1415, Oct. 1966, (abstract only).
- Kliukin, L. M., Pomerantsev, N. M., and Fabrikov, V. A., "Application of magnetic films in holography," *Izvest. Akad. Nauk S.S.S.R., Ser. Fiz.*, 31: 386-391, Mar. 1967.
- Knight, G. R., "Effects of film nonlinearities in wavefront-reconstruction imaging," *J. Opt. Soc. Am.*, 57: 1413, Nov. 1967, (abstract only).
- Kogelnik, H., "Response and efficiency of five hologram types," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Kogelnik, H., "Bragg diffraction in hologram gratings with multiple internal reflections," *J. Opt. Soc. Am.*, 57: 431-433, Mar. 1967.
- Lehmann, M., "Photographic detection of holograms," *J. Opt. Soc. Am.*, 57: 1414, Nov. 1967, (abstract only).
- Lehmann, M., "Photography for optical measurements," *WESCON Tech. Papers*, 9: Part 6, Paper 13.3, 4, 1965.
- Lin, L. H., and Lo Bianco, C. V., "Experimental techniques in making multicolor white light reconstructed holograms," *Appl. Optics*, 6: 1255-1258, July 1967.
- Marchant, M., and Knight, D., "Multiple recording of holograms," *Optica Acta*, 14: 199-201, Apr. 1967.
- Marquet, M., "Performances en holographie," *Rev. Opt.*, 45: 404-416, Sept. 1966.
- Mueller, P. F., "Retrieval of carrier-modulated phase transparencies," *J. Opt. Soc. Am.*, 57: 1419, Nov. 1967, (abstract only).
- Plummer, W. T., "Ghost lines in spectra from an interferometric hologram," *Japan. J. Appl. Phys.*, 6: 1250-1251, Oct. 1967.
- Powell, R. L., and Hemmye, J. H., "Holography and hologram interferometry using photochromic recording materials," *J. Opt. Soc. Am.*, 56: 1450, Oct. 1966, (abstract only).
- Smith, H. M., "Photographic relief images," *J. Opt. Soc. Am.*, 57: 584, Apr. 1967, (abstract only).
- Soroko, L. M., "Holography and interference processing of information," *Soviet Phys. Uspekhi*, 9: 643-669, Mar. 1967.
- Stigliani, D. J., Jr., Semonin, R. G., and Mitra, R., "Film resolution and holographic recordings," *Proc. IEEE*, 55: 1509-1511, Aug. 1967.
- Suzuki, T., and Hioki, R., "Frequency response of photographic emulsion in holography," *Japan. J. Appl. Phys.*, 5: 1257-1258, Dec. 1966.
- Vandewarker, R., and Snow, K., "Low spatial frequency holograms of solid objects," *Appl. Phys. Letters*, 10: 35-36, Jan. 15, 1967.
- Van Lighten, R. F., and Lawton, K. C., "Image separation by pupil separation in multiple-exposure holography," *J. Appl. Phys.*, 38: 1994-1996, Mar. 15, 1967.
- Vilkomerson, D. H. R., and Bostwick, D., "Some effects of emulsion shrinkage on a hologram's image space," *Appl. Optics*, 6: 1270-1272, July 1967.
- Young, J. D., and Wolfe, J. E., "A new recording technique for acoustic holography," *Appl. Phys. Letters*, 11: 294-296, Nov. 1, 1967.

## 20. Holographic Copying


- Belvaux, Y., "Duplication des hologrammes," *Ann. Radioélectricité*, 22: 105-108, Apr. 1967.
- Brumm, D. B., "Double images in copy holograms," *Appl. Optics*, 6: 588-589, Mar. 1967.

# Introducing the *miniSYNC*

## It will revolutionize TV news and documentary filming

The MINISYNC weighs only 9 ounces, installed inside your Cinevoice. It is a miniaturized, tuning fork frequency control inverter, and it permits full sync, double system, wireless sound shooting from any 12v. battery, completely eliminating the 13 lb. conventional power supply. We have also developed a new MINISYNC battery weighing only 3 pounds, delivering 4 ampere hours, or enough for 1200 ft. of film on a single charge. Also included is a special cable for optional 115v. AC operation.

The F&B/CECO MINISYNC can be installed on any existing Cinevoice\* Conversion, or can be ordered when we convert your new Cinevoice.



\*Registered  
Trademark of  
Bach Auricon, Inc.

Write for full details, prices and list of accessories on the new F&B/CECO MINISYNC Conversion; the Short Finder Conversion; or the regular F&B/CECO 400 ft. Conversion.

*Orders are being serviced on a first come, first served basis. Order now to avoid delay.*

**F & B / C E C O** I  
N  
C.

Dept. 72, 315 West 43rd St., N.Y., N.Y. 10036 (212) JU 6-1420 Cable: CINEQUIP

7051 Santa Monica Blvd., Hollywood, Calif. 90038 | 51 East 10th Avenue, Hialeah, Fla. 33010  
(213) 469-3601 .....Telex: 67-4536 | (305) 888-4604 .....Telex: 51532



**Color  
It  
Warm  
and  
Natural**

## SONY F-121 CARDIOID DYNAMIC MICROPHONE

...the instrument Sony engineered to provide the ultimate in performance under difficult conditions. Whether you wish to reproduce the rich warmth of strings and woodwinds or the fine upper registers of a soprano, this superb Sony instrument will fulfill your most discriminating expectations. Designed to meet the exacting requirements of professional use, the Sony F-121 offers a cardioid pattern with exceptional front-to-back rejection ratio without compromising the normal frequency response. An integrated wind screen assures immunity against any wind-produced noise or blast effect, while the convenient on-off switch permits immediate operation. The Sony F-121 is the ideal selection for the recording enthusiast

who wants professional characteristics in a microphone whose operation is foolproof. Complete with 20-foot microphone cable, desk stand, clip-on holder, and deluxe carrying case, just \$59.50.



**F-121 Features and Specifications:** Select from three impedances (50, 150 and 10,000 ohms). On-off switch has electrical safety interlock to prevent accidental cut-off. Change single wire to switch impedances. Unidirectional characteristic. Frequency response, 30 - 18,000 Hz. Hum induction level, below 6 db/mgauss. Wind noise, less than 50 db in all directions. Dimensions: 7" x 1 1/2" max. dia., 1" min.

**SONY SUPERSCOPE**  
8150 VINELAND AVENUE • SUN VALLEY, CALIF. • 91352


- Landry, M. J., "The effect of two hologram-copying parameters on the quality of copies," *Appl. Optics*, 6: 1947-1956, Nov. 1967.
- Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des fréquences spatiales, holographie," *Rev. Opt.*, 46: 1-46, Jan. 1967.
- Sherman, G. C., "Hologram copying by Gabor holography of transparencies," *Appl. Optics*, 6: 1749-1753, Oct. 1967.
- Sherman, G. C., "Diffraction theory of hologram copying," *J. Opt. Soc. Am.*, 57: 563, Apr. 1967, (abstract only).
- Vandewarker, R., and Snow, K., "Low spatial frequency holograms of solid objects," *Appl. Phys. Letters*, 10: 35-36, Jan. 15, 1967.
- Weber, R. L., "The aperture problem in holographic copying," *J. Opt. Soc. Am.*, 57: 560, Apr. 1967 (abstract only).

### 21. Holographic Interferometry

- Aleksandrov, E. B., and Bonch-Bruевич, A. M., "Investigation of surface strains by the hologram technique," *Soviet Phys. — Tech. Phys.*, 12: 258-265, Aug. 1967.
- Archbold, E., Burch, J. M., and Ennos, A. E., "The application of holography to the comparison of cylinder bores," *J. Sci. Instr.*, 44: 489-494, July 1967.
- Ashchevlov, Yu. V., Dymnikov, A. D., Ostrovsky, Yu. I., and Zaidel, A. N., "An interferometric holographic investigation of pulsed discharge plasma," *Phys. Letters*, 25A, 61-62, July 17, 1967.
- Barnett, N. E., "Progress report on vibration analysis by holographic interferometry," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).
- Bond, R. L., Ballard, G. S., and Story, J. B., "Measurement of ray deviations in an optically inhomogeneous field," *J. Appl. Phys.*, 38: 907-908, Feb. 1967.
- Brandt, G. B., "Hologram-moire interferometry for transparent objects," *Appl. Optics*, 6: 1535-1540, Sept. 1967.
- Brandt, G. B., "Hologram-moire interferometry," *J. Opt. Soc. Am.*, 57: 563, Apr. 1967, (abstract only).
- Brooks, R. E., "Low-angle holographic interferometry using TRI-X pan film," *Appl. Optics*, 6: 1418-1419, Aug. 1967.
- Brooks, R. E., "New dimension for interferometry," *Electronics*, 40: 88-93, May 15, 1967.
- Burch, J. M., and Ennos, A. E., "Interferometry with reconstructed wavefronts," *J. Opt. Soc. Am.*, 56: 541, Apr. 1966, (abstract only).
- Chau, H. H. M., and Mullancy, G. J., "Holographic moire patterns, their application to flow visualization in aerodynamics," *Appl. Optics*, 6: 1428-1430, Aug. 1967.
- De, M., and Sevigny, L., "Three-beam holographic interferometry," *Appl. Optics*, 6: 1665-1671, Oct. 1967.
- De, M., and Sevigny, L., "Three-beam holography," *Appl. Phys. Letters*, 10: 78-79, Feb. 1, 1967.
- Ennos, A. E., "Hologram interferometry," *Perspective (London)*, 8: no. 4, 276-286, 1966.
- Hildebrand, B. P., and Haines, K. A., "Multiple-wavelength and multiple-source holography applied to contour generation," *J. Opt. Soc. Am.*, 57: 155-162, Feb. 1967.
- Jahoda, F. C., Jeffries, R. A., and Sawyer, G. A., "Fractional-fringe holographic plasma interferometry," *Appl. Optics*, 6: 1407-1410, Aug. 1967.
- Knox, C., Sayano, R. R., Seo, E. T., and Silverman, H. P., "Holographic interferometry in electrochemical studies," *J. Phys. Chem.*, 71: 3102-3104, Aug. 1967.
- Leith, E. N., "Recent results in holography," *Proc. 8th Annual Electron and Laser Beam Symposium*, 21-37, Ann Arbor, Mich., Apr. 6-8, 1966.
- Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des fréquences spatiales, holographie," *Rev. Opt.*, 46: 1-46, Jan. 1967.
- Magill, P. J., and Wilson, A. D., "Holographic detection of motion of semiconductor devices," *Proc. IEEE*, 55: 2032-2033, Nov. 1967.
- Magill, P. J., and Young, T., "Detection of strain in evaporated films by wavefront reconstruction," *J. Vacuum Sci. Tech.*, 4: 47-48, Jan. 1967.
- Marquet, M., Bourgeon, M. H., and Saget, J. C., "Interferometric par halographique," *Rev. Opt.*, 45: 501-506, Nov. 1966.
- Merzkirch, W. F., "Making flows visible," *Intern. Sci. Tech.*, no. 58, 46-48, 51-56, Oct. 1966.
- Mullancy, G. J., and Chau, H. H. M., "Holography interferometry," *Boeing Sci. Research Lab. Rev.*, no. 16, 15-16, July-Dec. 1966.
- Mustafin, K. S., Seleznev, V. A., and Shtyrkov, E. I., "The use of holography to study the temperature distribution field of a flame," *Optics and Spectroscopy*, 22: 174-175, Feb. 1967.
- Powell, R. L., and Hemmye, J. H., "Holography and hologram interferometry using photochromic recording materials," *J. Opt. Soc. Am.*, 56: 1450, Oct. 1966, (abstract only).
- Snow, K., and Vandewarker, R., "Holographic interference microscope," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).
- Soroko, L. M., "Holography and interference processing of information," *Soviet Phys. Uspekhi*, 9: 643-669, Mar. 1967.
- Tanner, L. H., "The optics of laser streak interferometry," *J. Sci. Instr.*, 44: 725-730, Sept. 1967.
- Tanner, L. H., "The design of laser interferometers for use in fluid mechanics," *J. Sci. Instr.*, 43: 878-886, Dec. 1966.
- Tsuruta, T., Shiotake, N., Tsujiuchi, J., and Matsuda, K., "Holographic generation of contour map of diffusely reflecting surface by using immersion method," *Japan. J. Appl. Phys.*, 6: 661-662, May 1967.
- Vienot, J. C., and Monneret, J., "Interférométrie et photoélasticimétrie holographiques," *Rev. Opt.*, 46: 75-79, Feb. 1967.
- Wolfe, R., and Doherty, E. T., "Holographic interferometry of the distortion of thermoclectric cooling modules," *J. Appl. Phys.*, 37: 5008-5009, Dec. 1966.
- Zaidel, A. N., Ostrovskaya, G. V., Ostrovskii, Yu. I., and Chelidze, T. Ya., "Time-resolved holography of laser-produced plasmas," *Soviet Phys. — Tech. Phys.*, 11: 1650-1652, June 1967.

### 22. Holographic Microscopy

- Abramowitz, I. A., and Ballantyne, J. M., "Evaluation of hologram aberrations by



**How's this for speed:  
Exposure Index 8000.**

**Now you can do  
low-light photography  
you could never  
do before,**

**with KODAK 2485 High Speed Recording Film.**

Previously impossible feats of low-light-level photography, extremely short-duration photography, and high-writing-speed photorecording are now within easy reach. Exposure indexes of 8000 are routine with Type 2485 Film in its special developer! Or go with an index of 5000 in KODAK Developer D-19. Choose the suitable developer-time-temperature combination for your particular use.

With contrast control over a wide range, Type 2485 Film is ideal for many applications: high-speed photography with low ambient light, direct stellar photography, streamer-chamber photography, laser-signal recording, re-entry phenomena recording, transient recording on a "go-or-no-go" basis.

You can use Type 2485 Film with any light-emitting phosphor. It responds exceptionally well to weak, short-duration

signals in the UV spectral region from 250-400 millimicrons. On the other end, emulsion sensitivity extends to 690 millimicrons.

The film's ESTAR-AH Base minimizes light piping and carries a new backing for fast drying. It is ideally suited for rapid processing at temperatures up to 95 F.

Your Kodak Technical Sales Representative can give you complete details on KODAK 2485 High Speed Recording Film and the entire family of Kodak films.

Or contact the Kodak Instrumentation Products dealer in your area. He's there to help.

EASTMAN KODAK COMPANY  
Rochester, N.Y.

**Kodak**

Now available from

# NEPTUNE

## Vacuum Pumps

Model K-207.


With oil free rotary carbon vane;  
9.5 cu. ft. per min. at  
26 in. of Mercury.



## Air-Vacuum Printer Squeegee

Model LVS.


Removes dust  
and lint from negatives and print  
stock during printing.



## Chemical Circulation Pumps

Model MDX-35 (330 GPH) and  
Model MDX-35-3 (400 GPH).

Features a  
magnetic  
impeller  
drive and a  
seal-less  
nylon housing.



For information, write or call

# NEPTUNE Corporation

SALES • SERVICE  
Motion Picture Equipment

REPAIRS • ENGINEERING  
DESIGN • MFG.

35 West 45th Street  
New York, N. Y. 10036 765-4785

ray tracing," *J. Opt. Soc. Am.*, 57: 1522-1526, Dec. 1967.

Barer, R., "Phase-contrast methods and birefringence," *Nature*, 167: 642-643, Apr. 21, 1951.

Cosslett, V. E., "Present trends in electron microscopy," *Electron Physics*, 291-303, *Nat. Bur. Standards (U.S.), Circ. 527*, 1954 (see *Nat. Bur. Standards, Electron Physics*).

De, M., "Phase contrast microscopy in partially coherent light," *J. Opt. Soc. Am.*, 56: 541, Apr. 1966, (abstract only).

Diamond, F. I., "Magnification and resolution in wavefront reconstruction," *J. Opt. Soc. Am.*, 57: 503-508, Apr. 1967.

Fernandez-Moran, H., "High-resolution electron microscopy with superconducting lenses at liquid helium temperatures," *Proc. Nat. Acad. Sci.*, 56: 801-808, Sept. 1966.

Gerritsen, H. J., "Nonlinear effects in image formation," *Appl. Phys. Letters*, 10: 239-241, May 1, 1967.

Gerritsen, H. J., "Image processing with nonlinear optics," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Kopylov, G. I., "Contribution to the theory of holographic image magnification," *JETP Letters*, 5: 314-315, May 15, 1967.

Pistolcors, A. A., "A contribution to the theory of the holographic microscope," *Doklady Akad. Nauk S.S.S.R.*, 176: 816-819, Oct. 1, 1967.

Stroke, G. W., "Theoretical and experimental foundations for the attainment of high resolutions in holographic microscopy of three-dimensional objects," *J. Opt. Soc. Am.*, 57: 563, Apr. 1967, (abstract only).

Stroke, G. W., "Attainment of high resolutions in image-forming x-ray microscopy with lensless Fourier-transform holograms and correlative source-effect compensation," *Proc. IV X-Ray Congress*, Paris, Sept. 7-10, 1965.

Tradowsky, K., "Holography high-speed and microphotography with laser beams," *Chem.-Ing.-Tech.*, 39: 497-504, May 24, 1967.

Van Lighten, R. F., "A holographic microscope," *J. Opt. Soc. Am.*, 57: 564, Apr. 1967, (abstract only).

## 23. Integral Photography— Holography

Chutjian, A., and Collier, R. J., "Recording and reconstructing three dimensional images of computer-generated subjects by Lippmann integral photography," *J. Opt. Soc. Am.*, 57: 1405, Nov. 1967, (abstract only).

Jeong, T. H., "Cylindrical holography and some proposed applications," *J. Opt. Soc. Am.*, 57: 1396-1398, Nov. 1967.

Kock, W. E., "Use of lens arrays in holograms," *Proc. IEEE*, 55: 1103-1104, June 1967.

Lippmann, G., "Épreuves réversibles photographiques intégrales," *Comp. Rend. Acad. Sci.*, 146: 446-451, Mar. 2, 1908.

Pole, R. V., and Pennington, K. S., "Sampling of optical fields with a fly's eye lens," *J. Opt. Soc. Am.*, 57: 1413, Nov. 1967, (abstract only).

Pole, R. V., "Computer-generated 3-D displays," *IBM Tech. Disclosure Bull.*, 10: 598-600, Oct. 1967.

Pole, R. V., "3-D imagery and holograms of objects illuminated in white light," *Appl. Phys. Lett.*, 10: 20-22, Jan. 1, 1967.

## 24. Holography Applications and Equipment

Aleksandrov, E. B., and Bonch-Bruевич, A. M., "Investigation of surface strains by the hologram technique," *Soviet Phys. Tech. Phys.*, 12: 258-265, Aug. 1967.

Allen, J. B., and Jones, C. R., "Optical processing of flight test data," *IEEE Conf. on Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.

Anderson, D. B., "Application of coherent optical transducers to optical real-time information processing," *Proc. 1966 Spring Joint Computer Conf.*, 53-60, Boston, Mass., Apr. 26-28, 1966.

Anderson, L. K., Brojdo, S., La Macchia, J. T., and Lin, L. H., "A high-capacity, semipermanent optical memory," *IEEE Conf. on Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.

Archbold, E., Burch, J. M., and Ennos, A. E., "The application of holography to the comparison of cylinder bores," *J. Sci. Instr.*, 44: 489-494, July 1967.

Ashchevlov, Yu. V., Dymnikov, A. D., Ostrovsky, Yu. I., and Zaidel, A. N., "An interferometric holographic investigation of pulsed discharge plasma," *Phys. Letters*, 25A: 61-62, July 17, 1967.

Bakhrakh, L. D., and Kurochkin, A. P., "Use of holography in reconstruction of polar diagrams of UHF antennas from field measurements in the Fresnel zone," *Soviet Phys. "Doklady"*, 11: 1102-1104, June 1967.

Barnett, N. E., "Progress report on vibration analysis by holographic interferometry," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).

Bond, R. L., Ballard, G. S. and Story, J. B., "Measurement of ray deviations in an optically inhomogeneous field," *J. Appl. Phys.*, 38: 907-908, Feb. 1967.

Chau, H. H. M., and Mullaney, G. J., "An example of the application of pulsed light holography to aerodynamics," *Appl. Optics*, 6: 981, May 1967.

Cindrich, I., "Image scanning by rotation of a hologram," *Appl. Optics*, 6: 1531-1534, Sept. 1967.

Collier, R. J., "The illusory world of holography," *IEEE Conf. on Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.

Collier, R. J., "An up-to-date look at holography," *Bell Labs. Record*, 45: 102-109, Apr. 1967.

Ennos, A. E., "Holography and its applications," *Contemporary Phys.*, 8: 153-170, Mar. 1967.

Fischer, R., and Rockey, M. A., "A heuristic model of creativity," *Experientia*, 23: no. 2, 150-151, 1967.

Goodman, J. W., "Applications of holography," *J. Opt. Soc. Am.*, 56: 1413-1414, Oct. 1966, (abstract only).

Hildebrand, B. P., Haines, K. A., and Larkin, R., "Holography as a tool in the testing of large aperture optics," *Appl. Optics*, 6: 1267-1269, July 1967.

Horvath, V. V., Holeman, J. M., and Lemmond, C. Q., "Holographic technique recognizes fingerprints," *Laser Focus*, 3: 18-23, June 1967.

Jahoda, F. C., Jeffries, R. A., and Sawyer, G. A., "Fractional-fringe holographic

# ANOTHER **SOS** EXCLUSIVE




## SOS PROJECTOLA

The SOS PROJECTOLA is designed with a handy built-on "theatre" and screen. In use, an aerial image, (6" x 8" picture) is projected into the portable, four-walled miniature theatre to a highly reflective screen at the rear. The "theatre" is held in place by registration pins, screws and locking nuts...but can be easily removed for viewing a larger picture on a screen placed at a greater distance in a darkened room.

The SOS PROJECTOLA 16MM PROFESSIONAL VIEWER, is but one of the two-unit SOS PROJECTOLA-MAGNIOLA Editing/Timer equipment, and may be bought separately.

SOS PROJECTOLA 16MM PROFESSIONAL VIEWER . . . Price **\$195**



## SOS PROJECTOLA-MAGNIOLA

The new SOS PROJECTOLA-MAGNIOLA Editing/Timer, was designed to save precious time in getting news events on the air first. Exceptionally efficient, it permits several people to see the "PROJECTED" picture easily, while it is being quickly edited...and so compact it is workable for fast editing between rewinds on the editing table. As the timing synchronizer unit has two Magnetic Heads and one Optical Sound Reading Head, it can take care of film editing for a single system Optical or Magnetic...also double system Magnetic.

The second unit of the SOS PROJECTOLA-MAGNIOLA Editing/Timer, is a two-sprocket unitized timing synchronizer. This unit is equipped with built-in magnetic heads to read "Bottom Side" of film. Sprocket teeth are toward operator; optical soundhead on sprocket farthest from operator; special circuit undistorted 2 watt amplifier mixing two tracks simultaneously, built into a special synchronizing base complete, with internal wiring. The normal synchronizer footage counter has been conveniently replaced by an Hours, Minutes, Seconds, timer type counter for direct reading of time...eliminating costly, time-consuming conversion of footage into time.

Because of its remarkable utility and speed of operation, the PROJECTOLA-MAGNIOLA has won instant acceptance with the Industry.

SOS PROJECTOLA-MAGNIOLA 16MM HIGH-SPEED EDITING OUTFIT MODEL 31 (AU/BU-OPT) CAT. #SOS 133-5662

Complete with viewer, amplifier, speaker, precision unitized 2 gear timer/synchronizer, decoupler, base and screen . . . Price

**\$712**

**MAIL ORDERS PROMPTLY FILLED**

Spare Projection Lamp \$2.25

**SOS**  
SOS PHOTO-CINE-OPTICS, INC.  
A DIVISION OF F&B/CECO INDUSTRIES, INC.

At our new locations:

East Coast: Dept. 290, 311 West 43rd St., New York, N.Y. 10036 (212) MU 9-9150  
West Coast: 7051 Santa Monica Blvd., Hollywood, California 90038 (213) 469-3601

Over 40 years of quality service


# THE CHASAL

35/32 — 16 M/M  
Motion Picture Film  
High Speed Slitter




## FEATURES

Advance Design • Simplicity of Operation • Rugged Construction, Incorporating A Full Fitting Tooth Sprocket • Long Life Cutting Knives • Electronic Controlled • Soft Start and Automatic Shutoff.



Film wrap around the sprocket insures positive registration, resulting in a smooth straight cut. A.S.A. Standards are consistently met roll after roll. Full micrometer adjustments of all cutting heads.



Slitter operates over 500 ft. per minute. Film is cleaned by an air vacuum squeegee prior to being taken up on 16 m/m cores.

HASAL

ENGINEERING

6235 Santa Monica Boulevard  
Hollywood, California 90038  
Phone: (213) 467-5411

plasma interferometry," *Appl. Optics*, 6: 1407-1410, Aug. 1967.

Knox, C., Sayano, R. R., Seo, E. T., and Silverman, H. P., "Holographic interferometry in electrochemical studies," *J. Phys. Chem.*, 71: 3102-3104, Aug. 1967.

Komar, A. P., Stabnikov, M. V., and Turukhano, B. G., "Phase holograms of tracks on bubble and emulsion chambers and the feasibility of interpreting them," *Soviet Phys. "Doklady"*, 12: 590-592, Dec. 1967.

Magill, P. J., and Wilson, A. D., "Holographic detection of motion of semiconductor devices," *Proc. IEEE*, 55: 2032-2033, Nov. 1967.

Magill, P. J., and Young, T., "Detection of strain in evaporated films by wavefront reconstruction," *J. Vacuum Sci. Tech.*, 4: 47-48, Jan. 1967.

Marquet, M., Bourgeon, M. H., and Saget, J. C., "Quelques applications de l'holographie," *Comp. Rend. Acad. Sci., Ser. B*, 264: 35-37, Jan. 4, 1967.

Mustafin, K. S., Seleznev, V. A., and Shtyrkov, E. I., "The use of holography to study the temperature distribution field of a flame," *Optics and Spectroscopy*, 22: 174-175, Feb. 1967.

Platonenko, V. T., "Holography (photography and wave front reconstruction)," *Uspekhi Fiz. Nauk*, 90: 199-201, Sept. 1966.

Pribram, K. H., "Some dimensions of remembering steps toward a neuropsychological model of memory," *Macromolecules and Behavior*, 165-187 (Gaito, J., Ed., Appleton-Century-Crofts, New York, N.Y., 1966).

Snow, K., and Vandewarker, R., "Holographic interference microscope," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).

Soroko, L. M., "Holography and interference processing of information," *Soviet Phys. Uspekhi*, 9: 643-669, Mar. 1967.

Thompson, B. J., and Zinky, W. R., "Holography — a status report," *Research/Develop.*, 18: 20-25, July 1967.

Thompson, B. J., "Fraunhofer holography for bubble chambers," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Thompson, B. J., Ward, J. H., and Zinky, W. R., "Application of hologram techniques for particle size analysis," *Appl. Optics*, 6: 519-526, Mar. 1967.

Ward, J. H., and Thompson, B. J., "In-line hologram system for bubble-chamber recording," *J. Opt. Soc. Am.*, 57: 275-276, Feb. 1967.

Wolfe, R., and Doherty, E. T., "Holographic interferometry of the distortion of thermoelectric cooling modules," *J. Appl. Phys.*, 37: 5008-5009, Dec. 1966.

Zaidel, A. N., Ostrovskaya, G. V., Ostrovskii, Yu. I., and Chelidze, T. Ya., "Time-resolved holography of laser-produced plasmas," *Soviet Phys. — Tech. Phys.*, 11: 1650-1652, June 1967.

## 25. Optical Information Theory

Arsenaul, T. H., and Boivin, A., "An axial form of the sampling theorem and its application to optical diffraction," *J. Appl. Phys.*, 38: 3988-3990, Sept. 1967.

Barakat, R., "Application of the sampling theorem to optical diffraction theory," *J. Opt. Soc. Am.*, 54: 920-930, July 1964.

Blanc-Lapierre, A., Perrot, M., and Peri, G., "Comparison entre la transmission de l'information en optique et en radio-électricité," *Optica Acta*, 2: 1-5, Apr. 1955.

Blanc-Lapierre, A., "Considerations sur la théorie de la transmission de l'information et sur son application à certains domaines de la physique," *Ann. Inst. Henri Poincaré*, 8: 245-296, 1953.

Blanc-Lapierre, A., and Perrot, M., "Diffraction et quantité d'information," *Comp. Rend. Acad. Sci.*, 231: 539-541, Sept. 11, 1950.

Dyes, W. A., "Experimental demonstration of the space-bandwidth theorem," *J. Opt. Soc. Am.*, 57: 1419, Nov. 1967, (abstract only).

Fellgett, P. B., and Linfoot, E. H., "On the assessment of optical images," *Phil. Trans. Roy. Soc. London, Ser. A*, 247: 369-407, Feb. 17, 1955.

Gabor, D., "Light and information," *Progress in Optics*, vol. 2, 109-153, Wolf, E., Ed., John Wiley, New York, N.Y., 1963.

Gamo, H., "An aspect of information theory in optics," *1960 IRE Intern. Conv. Record*, Part 4, 189-203.

Goldman, S., "Sideband interpretation of optical information and the diffraction pattern of unsymmetrical pupil function," *J. Opt. Soc. Am.*, 52: 1131-1142, Oct. 1962.

Lamberts, R. L., "Applications of communication theory to optics and photography," *Communication and Information Theory Aspects of Modern Optics*, 181-200 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).

Lukosz, W., "Optical systems with resolving powers exceeding the classical limit — II," *J. Opt. Soc. Am.*, 57: 932-941, July 1967.

Lukosz, W., "Optical systems with resolving powers exceeding the classical limit," *J. Opt. Soc. Am.*, 56: 1463-1472, Nov. 1966.

MacKay, B. M., "The structural information-capacity of optical instruments," *Inform. and Control*, 1: 148-152, May 1958.

Parrent, G. B., Jr., and Reynolds, G. O., "Space-bandwidth theorem for holograms," *J. Opt. Soc. Am.*, 56: 1400-1401, Oct. 1966.

Perrot, M., and Peri, G., "Comparison entre la transmission de l'information en optique et en radio-électricité," *Optica Acta*, 2: 1-5, Apr. 1955.

Pole, R. V., "Spatial phase modulation and remodulation," *Communication and Information Theory Aspects of Modern Optics*, 153-180 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).

Steel, W. H., "Transfer function in partially coherent light," *Communication and Information Theory Aspects of Modern Optics*, 91-114 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).

Stigliani, D. J., Jr., Mitra, R., and Scmonin, R. G., "Resolving power of a zone plate," *J. Opt. Soc. Am.*, 57: 610-613, May 1967.

Toraldo di Francia, G., "Directivity, super-gain and information," *IRE Trans. Antennas Propagation*, 4: 473-478, July 1956.

# MOVIOLAS AVAILABLE

**GRAND NEW!**

*OFF THE SHELF  
DELIVERY!*


**16 & 35**



**CAMERA SALES CENTER CORP.**  
EAST COAST MAGNASYNC/MOVIOLA DEALER  
333 WEST 52ND STREET, NEW YORK, N.Y. 10019, 212 PLAZA 7-0906  
SALES AFFILIATE OF CAMERA SERVICE CENTER, INC.

# REEL SATISFACTION

BRAND NEW REEL-LITE  
PLASTIC REELS AND CANS



with steel spindle hole section  
16mm 600 ft. — 2000 ft.

SHEET  
ALUMINUM  
REELS

400' to  
6,000'  
16-70mm



ALUMINUM SPLIT REELS

For Quick and  
efficient  
processing  
and editing  
400'-3,000'  
16-70mm



Non-Vulcanized Fibre Mailing Cases  
400 feet to 2,000 feet, Extra Sturdy

REFLEX  
REELS

Available in  
200 to  
2,300 ft. sizes.  
8mm to 16mm  
Cans to 2,000 ft.



**GOLDBERG  
BROTHERS**

3535 LARIMER • BOX 5345  
DENVER, COLORADO 80217  
PHONE 303/244-2436

Toraldo di Francia, G., "Capacity of an optical channel in the presence of noise," *Optica Acta*, 2: 5-8, Apr. 1955.

Toraldo di Francia, G., "Super-gain antennas and optical resolving power," *Nuovo Cimento, Suppl.*, 9: no. 3, 426-438, 1952.

Wolter, H., "On basic analogies and principal differences between optical and electronic information," *Progress in Optics*, 1: 155-210 (Wolf, E., Ed., John Wiley, New York, N.Y., 1961).

## 26. Optical Fourier Transform and Transfer Function Theory

Anderson, D. B., "Application of coherent optical transducers to optical real-time information processing," *Proc. 1966 Spring Joint Computer Conf.*, 53-60, Boston, Mass., Apr. 26-28, 1966.

Arsac, J., "Application des théories de l'approximation à l'étude des images optiques," *Optica Acta*, 3: 55-65, June 1956.

Blanc-Lapierre, A., Perrot, M., and Dumontet, P., "Sur la correction de certains défauts dus à la diffraction," *Comp. Rend. Acad. Sci.*, 232: 1342-1344, Apr. 2, 1951.

Brouwer, W., O'Neill, E. L., and Walter, A., "The role of cikonal and matrix methods in contrast transfer functions," *Appl. Optics*, 2: 1239-1246, Dec. 1963.

Champagne, E. B., "Transform relations in coherent systems," *Appl. Optics*, 5: 1088, June 1966.

Cheatham, T. P., Jr., and Kohlenberg, A., "Optical filters — their equivalence to and difference from electrical networks," *1954 IRE Natl. Conv. Record*, Part 4, 6-12.

Cheatham, T. P., Jr., and Kohlenberg, A., "Analysis and synthesis of optical processes," *Boston Univ., Phys. Research Labs., Tech. Note 84*, Part 1, Mar. 1952.

Cowley, J. M., and Moodie, A. F., "Fourier images IV — the phase grating," *Proc. Phys. Soc.*, 76: 378-384, Sept. 1, 1960.

Cowley, J. M., and Moodie, A. F., "Fourier images I — the point source," *Proc. Phys. Soc., Ser. B*, 70: 486-496, May 1, 1957.

Cowley, J. M., and Moodie, A. F., "Fourier images II — the out-of-focus patterns," *Proc. Phys. Soc., Ser. B*, 70: 497-504, May 1, 1957.

Cowley, J. M., and Moodie, A. F., "Fourier images III — finite sources," *Proc. Phys. Soc., Ser. B*, 70: 505-513, May 1, 1957.

Croce, P., "Étude d'une méthode de filtrage des images optiques," *Rev. Opt.*, 35: 642-656, Dec. 1956.

Croce, P., "Étude d'une méthode de filtrage des images optiques," *Rev. Opt.*, 35: 567-589, Nov. 1956.

Cutrona, L. J., "The role of coherent optical systems in data processing," *Proc. 1966 Spring Joint Computer Conf.*, 25-41, Boston, Mass., Apr. 26-28, 1966.

Cutrona, L. J., "The use of lasers in signal processing for radar and communications," *Proc. 8th Annual Electron and Laser Beam Symposium*, 39-85, Ann Arbor, Mich., Apr. 6-8, 1966.

De, M., "The influence of astigmatism on the response function of an optical system," *Proc. Roy. Soc. London, Ser. A*, 233: 91-104, Dec. 6, 1955.

Duffieux, P. M., "Dirichlet's theorem and

coherent image construction," *Appl. Optics*, 6: 323-329, Feb. 1967.

Duffieux, P. M., "La cohérence partielle et les fonctions de transmission," *Rev. Opt.*, 32: 129-141, Mar. 1953.

Dumontet, P., "Sur la correspondance object-image en optique," *Optica Acta*, 2: 53-63, July 1955.

Elias, P., "Optics and communication theory," *J. Opt. Soc. Am.*, 43: 229-232, Apr. 1953.

Elias, P., Grey, D. S., and Robinson, D. Z., "Fourier treatment of optical processes," *J. Opt. Soc. Am.*, 42: 127-134, Feb. 1952.

Fellgett, P. B., and Linfoot, E. H., "On the assessment of optical images," *Phil. Trans. Roy. Soc. London, Ser. A*, 247: 369-407, Feb. 17, 1955.

Francon, M., Lowenthal, S., May, M., and Prat, R., "Application of the techniques of holography to the transfer function," *Comp. Rend. Acad. Sci., Ser. B*, 263: 237-240, July 18, 1967.

Goldman, S., "Sideband interpretation of optical information and the diffraction pattern of unsymmetrical pupil function," *J. Opt. Soc. Am.*, 52: 1131-1142, Oct. 1962.

Hopkins, H. H., "The frequency response of optical systems," *Proc. Phys. Soc., Ser. B*, 69: 562-576, May 1, 1956.

Hopkins, H. H., "The frequency response of a defocused optical system," *Proc. Roy. Soc., Ser. A*, 237: 91-103, July 19, 1955.

Hopkins, H. H., "On the diffraction theory of optical images," *Proc. Roy. Soc. London, Ser. A*, 217: 408-432, May 7, 1953.

Huang, T. S., "The use of digital computer in optical image processing," *IEEE Conf. on Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.

Inglestam, E., "Linear and non-linear links in optical image transfer," *Communication and Information Theory Aspects of Modern Optics*, 5-30 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).

Kelly, D. H., "Systems analysis of the photographic process, II — transfer function measurements," *J. Opt. Soc. Am.*, 51: 319-330, Mar. 1961.

Kelly, D. H., "Systems analysis of the photographic process, I — three stage model," *J. Opt. Soc. Am.*, 50: 269-276, Mar. 1960.

Konjacv, K. V., "Interference method of two-dimensional Fourier transform with spatial incoherent illumination," *Phys. Letters*, 24A: 490-491, Apr. 24, 1967.

Kovaszny, L. S. G., and Arman, A., "Optical autocorrelation measurement of two-dimensional random patterns," *Rev. Sci. Instr.*, 28: 793-797, Oct. 1957.

Lamberts, R. L., "Applications of communication theory to optics and photography," *Communication and Information Theory Aspects of Modern Optics*, 181-200 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).

Lerman, S. H., Minnick, W. A., Rimmer, M. P., and Shannon, R. R., "New method of computing the optical-transfer function," *J. Opt. Soc. Am.*, 57: 566, Apr. 1967, (abstract only).

Linfoot, E. H., "Quality evaluations of optical systems," *Optica Acta*, 5: 1-14, Mar.-June 1958.

Lohmann, A. W., and Paris, D. P., "Space-


# The Money-Makers

## FILMLINE'S professional color film processors for motion picture laboratories.

The Filmline Models FE-30 and FE-50 are fast, foolproof, troublefree and long-lasting. They turn out consistently superior work. The design is backed by Filmline's reputation as the world's leading manufacturer of film processors for the motion picture laboratory industry.

Now enjoy the benefits of professional equipment incorporating exclusive Filmline features that have paced the state-of-the-art in commercial, industrial and defense installations at a cost lower than processors offering less.

Check the exclusive Filmline features below:



- **"FILMLINE OVERDRIVE FILM TRANSPORT SYSTEM"**  
This marvel of engineering completely eliminates film breakage, pulled perforations, scratches and operator error. The film can be deliberately stalled in the machine without film breakage or significant change of film footage in solutions. The heart of any film processor is the drive system. No other film drive system such as sprocket drive, bottom drive or simple clutch drives with floating lower assemblies can give you the performance capability of the unique Filmline Overdrive Film Transport System.
- **"TORQUE MOTOR TAKE-UP"** gives you constant film take-up and does not impose any stress or strain on the film itself. Completely independent of the film transport system. This FILMLINE feature is usually found in professional commercial processors but is incorporated on the FE-30 and

FE-50 models as standard equipment. Don't settle for less!

- **"TEMP-GUARD"** positive temperature control system. Completely transistorized circuitry insures temperature control to well within processing tolerances. Temp-Guard controls temperatures accurately and without the problems of other systems of lesser sophistication.
- **"TURBO-FLOW"** impingement dryer. Shortens dry-to-dry time, improves film results, and carefully controls humidity content of your valuable (and sometimes rare) originals. Immediate projection capability is assured because the film dries flat without the usual curl associated with other film processors.
- **"ZERO DOWN TIME"** The reputation of any film processor is only as good as its reliability. The

combination of the exclusive and special added Filmline features guarantees trouble-free operation with absolute minimum down-time and without continual operator adjustments. Recapture your original investment in 2 years on maintenance savings alone. Filmline's "Push the button and walk-away processing" allows inexperienced operators to turn out highest quality film.

- **"MATERIALS, CONSTRUCTION AND DESIGN"** All Filmline machines are constructed entirely of metal and tanks are type 316 stainless steel, heliarc welded to government specifications. The finest components available are used and rigid quality control standards are maintained. Compare Filmline features to other processors costing more money. Feature-by-feature, a careful evaluation will convince you that Filmline offers you more for your investment.

### Additional Features included in price of machine (Not as extras).

Magazine load, daylight operation ■ Feed-in time delay elevator (completely accessible) ■ Take-up time delay elevator (completely accessible) ■ Red brass bleach tank, shafts, etc. Prehardener solution filter ■ Precision Filmline Venturi air squeegee prior to drybox entry ■ Air vent on prehardener ■ Solid state variable speed D.C. drive main motor ■ Bottom drains and valves on all tanks ■ Extended development time up to two additional camera stops at 50 FPM ■ Pump recirculation of all eight solutions thru spray bars ■ Temperature is sensed in the recirculation line ■ All solutions temperature controlled, no chilled water required ■ Built-in air compressor ■ Captive bottom assemblies assure you constant footage in each solution ■ Change over from standard developing to extended developing can be accomplished in a matter of seconds ■ Impingement dryer allows shorter put through time.

Partial listing of Filmline Color Installations: — NBC- New York, NBC- Washington, NBC- Cleveland, NBC- Chicago, CBS & ABC Networks, Eastman Kodak, Rochester.  
Laboratories: De Luxe Labs, General Film Labs (Hollywood), Pathe-Labs, Precision Labs, Mecca Labs, Color Service Co., Capital Film Labs, Byron Film Labs, MGM, Movie Lab, Lab-TV, Technical Film Labs, Telecolor Film Labs, Guffanti Film Labs, A-One Labs, All-service Labs, NASA Cape Kennedy, Ford Motion Picture Labs.  
TV Stations: WAPI-TV, WHP-TV, WMAL-TV, WXYZ-TV, WWL-TV, WMAR-TV, WJXT-TV, KETV-TV, WTOP-TV, WEAT-TV, WCKT-TV, WAVE-TV, WAVY-TV, KTIV-TV, WCPQ-TV, KTAR-TV, WSYR-TV.


All prices F.O.B.  
MILFORD, CONN.



Dept. SMA-68  
Send for Literature,  
Time & Lease  
Plans Available.

"When you buy quality Filmline Costs Less"

# REVERBERATION UNLIMITED!



only with

## FAIRCHILD REVERBERTRONS

Now with the FAIRCHILD REVERBERTRON you can reproduce the thrilling reverberated sounds of the Grand Canyon or the colorful reverberation qualities inherent only in good acoustical chambers. In addition, because reverberated sound is apparently louder than the same non-reverberated signal, by utilizing the FAIRCHILD REVERBERTRON in motion picture, radio and television studios you can create realistic sound effects and attention holding commercials.


No longer do you need expensive reverberation chambers or special "on location" recordings. The FAIRCHILD REVERBERTRON costs less than you imagine and is available in economy model too.

The advantages of a FAIRCHILD REVERBERTRON in your studio are virtually unlimited for creating wide audience appeal and impact and literally hundreds of "ear appealing" sounds.

The next time you want to "glue" your audience's ears to the sound you're making be sure to use a FAIRCHILD REVERBERTRON!

### SPECIFICATIONS OF MODEL 658A (Pictured above)

The 658A is a complete solid state reverberation system with electronically controlled reverb time adjustments up to 5 seconds; mixing control for adjustment of reverberated to non-reverberated signal ratios; reverb equalization at 2, 3, and 5 KHZ. Size: 24½ x 19".



### ECONOMY MODEL 658B ALSO AVAILABLE

Compact, reverberation system for the 'big' sound in a small space. Contains reverb equalization in mid and low frequency range; level control; solid state design. Size: Only 5¼ x 3 x 10" deep.

Write to FAIRCHILD - the pacemaker in professional audio products - for complete details


**FAIRCHILD**  
RECORDING EQUIPMENT CORPORATION  
10-40 45th Ave., Long Island City 1, N. Y.

- variant image formation," *J. Opt. Soc. Am.*, 55: 1007-1013, Aug. 1965.
- Lohmann, A. W., and Paris, D. P., "Influence of longitudinal vibrations on image quality," *Appl. Optics*, 4: 393-397, Apr. 1965.
- Lohmann, A. W., "Methods of influencing the optical contrast transfer of image-forming devices," *Communication and Information Theory Aspects of Modern Optics*, 51-90 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).
- Lowenthal, S., and Belvaux, Y., "Observation of phase objects by optically processed Hilbert transform," *Appl. Phys. Letters*, 11: 49-51, July 15, 1967.
- Lowenthal, S., and Belvaux, Y., "Reconnaissance des formes par filtrage des fréquences spatiales," *Optica Acta*, 14: 245-258, July 1967.
- Maréchal, A., and Croce, P., "Un filtre de fréquences spatiales pour l'amélioration du contraste de images optiques," *Comp. Rend. Acad. Sci.*, 237: 607-609, Sept. 21, 1953.
- Maréchal, A., "The contrast of optical images and the influence of aberrations," *Optical Image Evaluation*, 9-22, *Nat. Bur. Standards (U.S.)*, Circ. 526 (see *Nat. Bur. Standards Optical Image Evaluation*).
- Mermoz, H., "The optical Fourier transform and its application possibilities," *Ann. des Télécommunications*, 22: 17-39, Jan.-Feb. 1967.
- Miyamoto, K., "On Gabor's expansion theorem," *J. Opt. Soc. Am.*, 50: 856-858, Sept. 1960.
- Nomarski, G., "Simple mathematical treatment of coherent and incoherent holography," *J. Opt. Soc. Am.*, 57: 562-563, Apr. 1967, (abstract only).
- O'Neill, E. L., "The question of phase in image formation," *Optica Acta*, 10: 33-40, Jan. 1963.
- O'Neill, E. L., "Transfer function for an annular aperture," *J. Opt. Soc. Am.*, 46: 285-288, Apr. 1956.
- Papoulis, A., "Two-dimensional systems with applications to modern optics," *Proc. Symposium on Generalized Networks*, 753-785, Polytechnic Institute of Brooklyn, Brooklyn, N.Y., 1966.
- Perrot, M., and Peri, G., "Comparison entre la transmission de l'information en optique et en radio électricité," *Optica Acta*, 2: 1-5, Apr. 1955.
- Polc, R. V., "Spatial phase modulation and remodulation," *Communication and Information Theory Aspects of Modern Optics*, 153-180 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).
- Rau, J. E., "Real-time complex spatial modulation," *J. Opt. Soc. Am.*, 57: 798-802, June 1967.
- Rau, J. E., "Real-time correlation of spatial function," *J. Opt. Soc. Am.*, 57: 562, Apr. 1967, (abstract only).
- Rau, J. E., "Detection of differences in real distributions," *J. Opt. Soc. Am.*, 56: 1490-1494, Nov. 1966.
- Rau, J. E., "Comparison of coherently illuminated images," *J. Opt. Soc. Am.*, 56: 541-542, Apr. 1966, (abstract only).
- Rhodes, J. E., Jr., "Analysis and synthesis of optical images," *Am. J. Phys.*, 21: 337-343, May 1953.
- Schade, O. H., "Fourier treatment of optical processes," *J. Opt. Soc. Am.*, 43: 704-705, Aug. 1953.
- Schade, O. H., "A new system of measuring and specifying image definition," *Optical Image Evaluation*, 231-249, *Nat. Bur. Standards (U.S.)*, Circ. 526 (see *Nat. Bur. Standards Optical Image Evaluation*).
- Vander Lugt, A., "Operational notation for the analysis and synthesis of optical data-processing systems," *Proc. IEEE*, 54: 1055-1063, Aug. 1966.
- Vienot, J. C., and Bulabois, J., "Spectral differentiation and hologram filtering of decorrelated weak optical signals," *Optica Acta*, 14: 57-70, Jan. 1967.
- Walther, A., "The question of phase retrieval in optics," *Optica Acta*, 10: 41-49, Jan. 1963.
- Weaver, C. S., and Goodman, J. W., "A technique for optically convolving two functions," *Appl. Optics*, 5: 1248-1249, July 1966.
- Williams, R. E., "The panchromatic principle in optical filtering," *IEEE Trans. Information Theory*, IT-10: 227-234, July 1964.
- Wolter, H., "On basic analogies and principal differences between optical and electronic information," *Progress in Optics*, 7: 155-210, Wolf, E., Ed., John Wiley, New York, N.Y., 1961.

## 27. Optical Information and Data Processing

- Allen, J. B., and Jones, C. R., "Optical processing of flight test data," *IEEE Conf. on Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.
- Anderson, D. B., "Application of coherent optical transducers to optical real-time information processing," *Proc. 1966 Spring Joint Computer Conf.*, 53-60, Boston, Mass., Apr. 26-28, 1966.
- Bakhrakh, L. D., and Kurochkin, A. P., "Use of holography in reconstruction of polar diagrams of UHF antennas from field measurements in the Fresnel zone," *Soviet Phys. "Doklady"*, 11: 1102-1104, June 1967.
- Becker, H. C., Meyers, P. H., and Nice, C. M., "Laser light diffraction, spatial filtering, and reconstruction of medical radiographic images - preliminary results," *1967 IEEE Region III Conv. Conf. Record*, 43-54.
- Bergstein, L., "Coherent processing and ray optics," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Blackmer, L. L., Kerkhove, A. P., and Baldwin, R., "Digital data recording on film by using superposed grating patterns, III - recording and retrieval techniques," *Phot. Sci. Eng.*, 10: 263-269, Sept.-Oct. 1966.
- Brown, W. G., "Synthetic aperture radar," *IEEE Trans. Aerospace Electronic Systems*, AES-3, 217-229, Mar. 1967.
- Considine, P. S., and Miller, C. S., "Instrument for electro-optical data processing," *J. Opt. Soc. Am.*, 57: 1406, Nov. 1967, (abstract only).
- Cutrona, L. J., Leith, E. N., Porcello, L. J., and Vivian, W. E., "On the application of coherent optical processing techniques to synthetic-aperture radar," *Proc. IEEE*, 54: 1026-1032, Aug. 1966.
- Cutrona, L. J., "The role of coherent optical systems in data processing," *Proc.*

# the case against high shipping costs.



Plio-Magic film cases cut your shipping costs by as much as 65%. New, improved Plio-Magic material makes them even more durable, lighter in weight than ever before. And you get moisture and dust-resistant protection without the need for cans. Result: a saving of as much as three pounds per shipment.

What's more, these attractive cases can't rust, crimp, bend, chip or discolor. And there's a new gentle action to the exclusive Plio-Magic Positive Locking System. Just a twist of the wrist eliminates unwieldy belts and buckles forever.

Plio-Magic cases are supplied in 1, 2, 3, and 4-reel sizes for 1600 foot reels; 1 and 2 reel sizes for 1200 foot and 2000 foot reels; and in 1-reel size for 400, 600 and 800 foot reels.

Available in a wide range of colors, with custom imprinting, if desired.

Write today Dept. SM58, 640 South Commercial Ave., Carlstadt, N. J. 07072 for money saving PRC fact kit.



## PLIO-MAGIC®

A Product of PLASTIC REEL CORPORATION OF AMERICA

Manufacturers of Film Reels, Cans, Shipping Cases, Reel Paks, Tape Reels, Processing Rollers, Cores and Bushings.  
640 SOUTH COMMERCIAL AVE., CARLSTADT, N. J. 07072, (201) 933-9125 Direct N.Y.C. Phone No: (212) 524-5055  
West Coast: 905 North Cole Ave., Hollywood, Calif. 90038, (213) 467-3107

# HILLS FILMATIC COLOR PROCESSOR

FOR EKTACHROME ME-4 CONTINUOUS FILM PROCESSING

Built with pride, the HILLS Filmatic offers the newest advance in Automatic Processing . . . plus the ultimate in dependability!

Incomparable features include:

- Dry-to-Dry only 26 minutes
- Simple installation
- Requires only water-in, water-out and tie-in to replenishment tanks
- Fits limited space
- Full view monitor

Wire, write or phone for full details.

• Magazine Load includes 9,000<sup>00</sup> magazines—\$19,900  
• Dark Room Load (FO3 Chalfont, Pa.)—\$18,900

## U. S. PHOTOGRAPHIC EQUIPMENT CORPORATION


40-13 104th Street, Corona, New York 11368 • (212) 672-3140

SALES ENGINEERS FOR HILLS MANUFACTURING COMPANY, INC.

Manufacturers of Film Processing Equipment from 16mm to 70mm for any Color or Black or White process



Also Available for Super 8



More and more the First Choice of TV Stations and Movie Labs!

1966 Spring Joint Computer Conf., 25-41, Boston, Mass., Apr. 26-28, 1966.

Cutrona, L. J., "The use of lasers in signal processing for radar and communications," *Proc. 8th Annual Electron and Laser Beam Symposium*, 39-85, Ann Arbor, Mich., Apr. 6-8, 1966.

Cutrona, L. J., Leith, E. N., and Porcello, L. J., "Coherent optical data processing," *1959 IRE WESCON Conv. Record*, Part 4, 141-153, (also in *IRE Trans. Automatic Control, AC-4*, 137-149, Nov. 1959).

Cutrona, L. J., Leith, E. N., and Porcello, L. J., "Filtering operations using coherent optics," *Proc. Natl. Electronics Conf.*, 15: 262-275, Chicago, Ill., Oct. 12-14, 1959.

Cutrona, L. J., Leith, E. N., and Porcello, L. J., "Data processing by optical techniques," *Proc. 3rd Natl. Conv. Military Electronics*, 23-26, Washington, D.C., June 29, 30-July 1, 1959.

De Velis, J. B., Reynolds, G. O., and Zuckerman, J. L., "Differentiation and integration of optical signals," *J. Opt. Soc. Am.*, 57: 571, Apr. 1967, (abstract only).

Etsell, D. G., and Reynolds, G. O., "On the equivalence of time and ensemble averaging in optics," *J. Opt. Soc. Am.*, 57: 571, Apr. 1967, (abstract only).

Falconer, D. G., "Optical processing of bubble chamber photographs," *Appl. Optics*, 5: 1365-1369, Sept. 1966.

Fleisher, H., Pengelly, P., Reynolds, J., Schools, R., and Sincerbox, G., "An optically accessed memory using the Lippmann process for information storage," *Optical and Electro-Optical Information Processing*, 1-30 (see Tippett, J. T., et al., Mass. Inst. Tech. Press, Cambridge, Mass., 1965).

Gebhardt, F. G., "Use of different bandwidth criteria for evaluation optical-system information capacity," *J. Opt. Soc. Am.*, 57: 571, Apr. 1967, (abstract only).

Huang, T. S., "The use of digital computer in optical image processing," *IEEE Conf. Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.

Jackson, P. L., "Diffractive processing of geophysical data," *Appl. Optics*, 4: 419-427, Apr. 1965.

Lamberts, R. L., and Higgins, G. C., "Digital data recording on film by using superposed grating patterns, I—general theory and procedures," *Phot. Sci. Eng.*, 10: 209-213, July-Aug. 1966.

Lamberts, R. L., "Digital data recording on film by using superposed grating patterns, II—analysis of the system," *Phot. Sci. Eng.*, 10: 213-221, July-Aug. 1966.

Leith, E. N., Cutrona, L. J., and Porcello, L. J., "Coherent optical techniques for radar data processing," *J. Opt. Soc. Am.*, 56: 1419, Oct. 1966, (abstract only).

Leith, E. N., and Palermo, C. J., "Some filtering operations using coherent optics," *Proc. Symposium on Generalized Networks*, 743-751, Polytechnic Institute of Brooklyn, Brooklyn, N.Y., 1966.

Lowenthal, S., and Belvaux, Y., "Observation of phase objects by optically processed Hilbert transform," *App. Phys. Letters*, 11: 49-51, July 15, 1967.

Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des

fréquences spatiales, holographic," *Rev. Opt.*, 46: 1-46, Jan. 1967.

Pole, R. V., Wieder, H., and Barrekette, E. S., "Reactive optical information processing, I—theory of information recovery and resonant mode structure," *Appl. Optics*, 6: 1571-1575, Sept. 1967.

Preston, K., Jr., "Computing at the speed of light," *Electronics*, 38: 72-83, Sept. 6, 1965.

Rotz, F. B., and Vander Lugt, A., "Data reduction by coherent optical systems," *Proc. SPIE Seminar on Photo-Optical Data Reduction*, V-1-V-20, St. Louis, Missouri, Mar. 2-3, 1964.

Smith, W. V., "Computer applications of lasers," *Proc. IEEE*, 54: 1295-1300, Oct. 1966.

Smits, F. M., and Gallaher, L. E., "Design considerations for a semipermanent optical memory," *Bell Sys. Tech. J.*, 46: 1267-1278, July-Aug. 1967.

Soroko, L. M., "Holography and interference processing of information," *Soviet Phys. Uspekhi*, 9: 643-669, Mar. 1967.

Weaver, C. S., "Optical signal processing and processing and applications to pattern recognition," *WESCON Tech. Papers*, 9: Part 6, Paper 13.5, 7, 1965.

Wieder, H., and Pole, R. V., "Reactive optical information processing, II—factors affecting the applicability and efficiency of the method," *Appl. Optics*, 6: 1761-1765, Oct. 1967.

Williams, R. E., "Partially coherent processing by optical means," *IEEE Trans. Information Theory*, IT-11, 499-507, Oct. 1965.

## 28. Optical Information Storage

Altman, J. H., and Zweig, H. J., "Effect of spread function on the storage of information on photographic emulsions," *Phot. Sci. Eng.*, 7: 173-177, May-June 1963.

Anderson, L. K., Brojdo, S., La Macchia, J. T., and Lin, L. H., "A high-capacity, semipermanent optical memory," *IEEE Conf. on Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.

Baldwin, W. J., "Determination of the information storage capacity of photochromic glass with holography," *Appl. Optics*, 6: 1428, Aug. 1967.

Biedermann, K., and Frieser, H., "Ueber die informationskapazität photographischer schichten," *Optik*, 23: 75-82, Oct. 1965.

Blackmer, L. L., Kerkhove, A. P., and Baldwin, R., "Digital data recording on film by using superposed grating patterns, III—recording and retrieval techniques," *Phot. Sci. Eng.*, 10: 263-269, Sept.-Oct. 1966.

Erdos, P., "Holographic information storage and retrieval," *IBM Tech. Disclosure Bull.*, 9: 291, Aug. 1966.

Falconer, D. G., "A theory of thick-emulsion diffraction," *J. Opt. Soc. Am.*, 57: 573, Apr. 1967, (abstract only).

Fleisher, H., Pengelly, P., Reynolds, J., Schools, R., and Sincerbox, G., "An optically accessed memory using the Lippmann process for information storage," *Optical and Electro-Optical Information Processing*, 1-30 (see Tippett, J. T., et al., Mass. Inst. Tech. Press, Cambridge, Mass., 1965).

Jones, R. C., "Information capacity of

get  
three-camera  
versatility  
on a  
one-camera  
budget!



choose  
the capable

# ARRIFLEX® 16M

QUICK-CHANGE MAGAZINE CAMERA

Pay for only one camera. Get the use of three. And enjoy world-famous Arriflex dependability with each. A choice of three Quick-Change magazines, which attach instantly and interchangeably to the camera body, provides this unique versatility. And economy.

As a starter... attach the 200' magazine. Perfect for hand-held action shots. The compact, lightweight outfit weighs only 9 lbs. Lets you go where you have to—get what you want—elbow room or no.

Then for studio work or location... hand-held or on tripod, whenever the need for greater film capacity... snap on the 400 footer. And you're ready to go in seconds. Because all 16M magazines have internal feed and take-up sprockets, the film path is simplified. Just drop in the pre-measured loop, and place it in the film gate. That's it.

Finally. When the call is for up to 33 minutes of uninterrupted shooting, put on the big 1200' wheel and you're ready for that assignment. Sports. Time and motion studies. Military and industrial applications.

But back to the economy bit. NO PART OF THE FILM GATE IS INCORPORATED IN THE MAGAZINES! An important mechanical advantage which reduces the cost of magazines considerably. As well as insuring that every component part essential to locating film precisely in the focal plane, is protectively built into the camera head. Where they belong.

The Arriflex 16M is the most uniquely versatile and capable camera you can buy. All "three" of them. Try one on your next assignment and get the collection started.



**ARRIFLEX**  
CORPORATION OF AMERICA

Write for literature— Arriflex Corporation of America, P.O. Box 1050, Woodside, N.Y. 11377

# SONY

## SOLID-STATE C37-FET CONDENSER MICROPHONE



the World's Finest  
Professional Microphone  
NOW PACKS ITS  
OWN POWER

The new Sony Solid-State C37-FET Condenser Microphone is designed to give you the ultimate in professional capabilities wherever you may need them. A revolutionary Field Effect Transistor (FET) replaces the conventional vacuum tube, eliminating the external power supply and bulky connecting cables. Power is now supplied by a built-in replaceable 9-volt battery, delivering 300 hours of continuous power.

The C37-FET retains all the warm, natural quality, the unbelievable flat frequency response free of resonant peaks and dips—so characteristic of its illustrious predecessor the world-famous C-37. Musicians, conductors, soloists and sound engineers prefer the C37-FET for its wide dynamic range which captures the splendor of choral groups...for its faithful flat reproduction of high, middle and low registers to capture the magnificence and true timbre of strings, woodwinds and piano.

Add to this the outstanding signal-to-noise ratio specifications, unusually high front to back rejection of cardioid pattern, a built-in battery that delivers up to 300 hours of continuous power, and you have a microphone whose performance is unparalleled whether in the studio or on location.

**SONY** **SUPERSCOPE**®

8150 VINELAND AVENUE • SUN VALLEY, CALIFORNIA • 91352

- photographic films," *J. Opt. Soc. Am.*, 51: 1159-1161, Nov. 1961.
- Jones, R. C., "Information capacity of photographic films," *Communication and Information Theory Aspects of Modern Optics*, 31-40 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).
- Lamberts, R. L., and Higgins, G. C., "Digital data recording on film by using superposed grating patterns, I — general theory and procedures," *Phot. Sci. Eng.*, 10: 209-213, July-Aug. 1966.
- Lamberts, R. L., "Digital data recording on film by using superposed grating patterns, II — analysis of the system," *Phot. Sci. Eng.*, 10: 213-221, July-Aug. 1966.
- Leith, E. N., "Recent results in holography," *Proc. 8th Annual Electron and Laser Beam Symposium*, 21-37, Ann Arbor, Mich., Apr. 6-8, 1966.
- Maurer, D. W., and Francois, E. E., "Experimental properties of Bragg angle phase gratings," *IEEE Conf. Laser Engineering and Applications*, June 6-8, 1967, Washington, D.C.
- Smith, W. V., "Computer applications of lasers," *Proc. IEEE*, 54: 1295-1300, Oct. 1966.
- Smits, F. M., and Gallaher, L. E., "Design considerations for a semipermanent optical memory," *Bell Sys. Tech. J.*, 46: 1267-1278, July-Aug. 1967.
- Soroko, L. M., "Holography and interference processing of information," *Soviet Phys. Uspekhi*, 9: 643-669, Mar. 1967.
- Van Lighten, R. F., and Lawton, K. C., "Image separation by pupil separation in multiple-exposure holography," *J. Opt. Soc. Am.*, 57: 559, Apr. 1967, (abstract only).

### 29. Optical Recognition

- Anderson, D. B., "Application of coherent optical transducers to optical real-time information processing," *Proc. 1966 Spring Joint Computer Conf.*, 53-60, Boston, Mass., Apr. 26-28, 1966.
- Burckhardt, C. B., "Considerations on character recognition by means of optical spatial filtering," *J. Opt. Soc. Am.*, 56: 1449, Oct. 1966, (abstract only).
- Burckhardt, C. B., "Storage capacity of an optically formed spatial filter for character recognition," *Appl. Optics*, 6: 1359-1366, Aug. 1966.
- De, M., and Lohmann, A. W., "Signal detection by correlation of Fresnel diffraction patterns," *Appl. Optics*, 6: 2171-2175, Dec. 1967.
- De, M., and Lohmann, A. W., "Signal detection by correlation of Fresnel diffraction patterns," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Dickinson, A., "Holography and character recognition," *Marconi Rev.*, 30: 40-48, 1st Quarter 1967.
- Eaglesfield, C. C., "Holograms — could they be used in printing," *Graphic Tech.*, no. 21, 7-11, Jan. 1967.
- Gabor, D., "Character recognition," *Scientia*, 102: no. 657-658, 48-55, 1967.
- Holmes, W. S., Babcock, T. R., Richmond, G. E., Pownall, L. A., and Vorie, G. C., "Optical-electronic spatial filtering for pattern recognition," *Optical and Electro-Optical Information Processing*, 199-207 (see Tippett, J. T., et al., Mass. Inst. Tech. Press, Cambridge, Mass., 1965).

- Horwitz, L. P., and Shelton, G. L., Jr., "Pattern recognition using autocorrelation," *Proc. IRE*, 49: 175-185, Jan. 1961.
- Lowenthal, S., and Belvaux, Y., "Reconnaissance des formes par filtrage des fréquences spatiales, holographie," *Optica Acta*, 14: 245-258, July 1967.
- Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des fréquences spatiales, holographie," *Rev. Opt.*, 46: 1-46, Jan. 1967.
- Marquet, M., Bourgeon, M. H., and Saget, J. C., "Quelques applications de l'holographie," *Comp. Rend. Acad. Sci., Ser. B*, 264: 35-37, Jan. 4, 1967.
- Preston, K., Jr., "Computing at the speed of light," *Electronics*, 38: 72-83, Sept. 6, 1965.
- Raso, D. J., "Target recognition for continuous tone objects," *J. Opt. Soc. Am.*, 57: 1419, Nov. 1967, (abstract only).
- Rau, J. E., "Real-time complex spatial modulation," *J. Opt. Soc. Am.*, 57: 798-802, June 1967.
- Vander Lugt, A., Rotz, F. B., and Klooster, A., Jr., "Character-reading by optical spatial filtering," *Optical and Electro-Optical Information Processing*, 125-141 (see Tippett, J. T., et al., Mass. Inst. Tech. Press, Cambridge, Mass., 1965).
- Vienot, J. C., and Bulabois, J., "Spectral differentiation and hologram filtering of decorrelated weak optical signals," *Optica Acta*, 14, 57-70, Jan. 1967.
- Watrasiewicz, B. M., "Character recognition by holography," *Nature*, 216: 302-304, Oct. 21, 1967.
- Weaver, C. S., "Optical signal processing and applications to pattern recognition," *WESCON Tech. Papers*, 9: Part 6, Paper 13.5, 7, 1965.

### 30. Optical Spatial Filtering

- Anderson, D. B., "Application of coherent optical transducers to optical real-time information processing," *Proc. 1966 Spring Joint Computer Conf.*, 53-60, Boston, Mass., Apr. 26-28, 1966.
- Aroyan, G. F., "The technique of spatial filtering," *Proc. IRE*, 47: 1561-1568, Sept. 1959.
- Arsac, J., "Application des théories de l'approximation à l'étude des images optiques," *Optica Acta*, 3: 55-65, June 1956.
- Becker, H. C., Meyers, P. H., and Nice, C. M., "Laser light diffraction, spatial filtering, and reconstruction of medical radiographic images — preliminary results," *1967 IEEE Region III Conv. Conf. Record*, 43-54.
- Bernstein, K. L., "Spatial filtering with partially coherent light," *J. Opt. Soc. Am.*, 54: 571, Apr. 1964, (abstract only).
- Burckhardt, C. B., "Considerations on character recognition by means of optical spatial filtering," *J. Opt. Soc. Am.*, 56: 1449, Oct. 1966, (abstract only).
- Burckhardt, C. B., "Storage capacity of an optically formed spatial filter for character recognition," *Appl. Optics*, 6: 1359-1366, Aug. 1966.
- Croce, P., "Étude d'une méthode de filtrage des images optiques," *Rev. Opt.*, 35: 642-656, Dec. 1956.
- Croce, P., "Étude d'une méthode de filtrage des images optiques," *Rev. Opt.*, 35: 567-589, Nov. 1956.

# PERMA FILM® PROTECTION and PERMA NEW® REJUVENATION FRANCHISERS

## Cut Your Print Costs



Franchisers  
in major US Cities.

USA, Toronto, Canada and Bermuda. Europe: Barcelona, Brussels, Copenhagen, Helsinki, Istanbul, Lisbon, London, Milan, Paris, Rome, Stockholm, Vienna. South America: Mexico City, Sao Paulo. Asia & Australia: Bombay, Melbourne, Perth, Sydney, Taipei, Tokyo, Suva-Fiji Islands.

### PERMAFILM, INC.

257 Park Avenue South  
N.Y., N.Y. 10010 USA  
(212) 674-5700

### PERMAFILM, INC. of CALIFORNIA

814 N. Cole Avenue  
Hollywood, Calif. 90038 USA

© Reg. U.S.  
Pat. Off.

- Cutrona, L. J., Leith, E. N., and Porcello, L. J., "Filtering operations using coherent optics," *Proc. Natl. Electronics Conf.*, 15: 262-275, Chicago, Ill., Oct. 12-14, 1959.
- Falconer, D. G., "Optical processing of bubble chamber photographs," *Appl. Optics*, 5: 1365-1369, Sept. 1966.
- Holmes, W. S., Babcock, T. R., Richmond, G. E., Pownall, L. A., and Voric, G. C., "Optical-electronic spatial filtering for pattern recognition," *Optical and Electro-Optical Information Processing*, 199-207 (see Tippett, J. T., et al., Mass. Inst. Tech. Press, Cambridge, Mass., 1965).
- Horwitz, L. P., and Shelton, G. L., Jr., "Pattern recognition using autocorrelation," *Proc. IRE*, 49: 175-185, Jan. 1961.
- Jackson, P. L., "Correlation function spatial filtering with incoherent light," *Appl. Optics*, 6: 1272-1273, July 1967.
- Jackson, P. L., "Diffractive processing of geophysical data," *Appl. Optics*, 4: 419-427, Apr. 1965.
- Kelly, D. H., "Image-processing experiments," *J. Opt. Soc. Am.*, 51: 1095-1101, Oct. 1961.
- Kovaszny, L. S. G., and Arman, A., "Optical autocorrelation measurement of two-dimensional random patterns," *Rev. Sci. Instr.*, 28: 793-797, Oct. 1957.
- Kozma, A., and Kelly, D. L., "Spatial filtering for detection of signals submerged in noise," *Appl. Optics*, 4: 387-392, Apr. 1965.
- Leith, E. N., and Palermo, C. J., "Some filtering operations using coherent optics," *Proc. Symposium on Generalized Networks*, 743-751, Polytechnic Institute of Brooklyn, Brooklyn, N.Y., 1966.
- Lohmann, A. W., "Some spatial filtering experiments," *J. Opt. Soc. Am.*, 57: 1405, Nov. 1967, (abstract only).
- Lohmann, A. W., "Holographic production of spatial filters for code translation and image restoration," *Phys. Letters*, 25A: 570-571, Oct. 23, 1967.
- Lohmann, A. W., Paris, D. P., and Werlich, H. W., "A computer generated spatial filter applied to code translation," *Appl. Optics*, 6: 1139-1140, June 1967.
- Lowenthal, S., and Belvaux, Y., "Reconnaissance des formes par filtrage des fréquences spatiales," *Optica Acta*, 14: 245-258, July 1967.
- Lowenthal, S., and Belvaux, Y., "Progrès récent en optique cohérente, filtrage des fréquences spatiales, holographie," *Rev. Opt.*, 46: 1-46, Jan. 1967.
- Lowenthal, S., and Belvaux, Y., "Reconnaissance des formes en optique par traitement de signaux dérivés," *Comp. Rend. Acad. Sci., Ser. B*, 262: 413-418, Feb. 7, 1966.
- Marathay, A. S., "Optical image processing in incoherent and coherent illumination," *J. Soc. Photo-Opt. Instrumentation Engrs.*, 4: 267-271, Aug.-Sept. 1966.
- Maréchal, A., "Filtering of optical images," *Communication and Information Theory Aspects of Modern Optics*, 41-50 (see O'Neill, E. L., General Electric Co., Syracuse, N.Y., 1962).
- Mermoz, H., "The optical Fourier transform and its application possibilities," *Ann. Télécommunications*, 22: 17-39, Jan.-Feb. 1967.
- Montgomery, W. D., "The extension to probability distributions for detection spatial filters," *IEEE Trans. Information Theory*, 17-10: 2-5, Jan. 1964.
- Montgomery, W. D., and Broome, P. W., "Spatial filtering," *J. Opt. Soc. Am.*, 52: 1259-1275, Nov. 1962.
- O'Neill, E. L., "Spatial filtering in optics," *IRE Trans. Information Theory*, IT-2: 56-65, June 1956.
- Raso, D. J., "Target recognition for continuous tone objects," *J. Opt. Soc. Am.*, 57: 1419, Nov. 1967, (abstract only).
- Ross, A. H. M., "Optical spatial filtering for simultaneous delay and Doppler estimates of radarlike signals," *Mass. Inst. Tech. Research Lab. Electronics, Quart. Prog. Rept. no. 84*, 307-309, Jan. 15, 1967.
- Rotz, F. B., and Vander Lugt, A., "Data reduction by coherent optical systems," *Proc. SPIE Seminar on Photo-Optical Data Reduction*, V-1-V-20, St. Louis, Missouri, Mar. 2-3, 1964.
- Thiry, H., "Some qualitative and quantitative results on spatial filtering of granularity," *Appl. Optics*, 3: 39-41, Jan. 1964.
- Tsujiuchi, J., "Correction of optical images by compensation of aberrations and by spatial frequency filtering," *Progress in Optics*, 2: 133-180, Wolf, E., Ed., John Wiley, New York, N.Y., 1963.
- Tsujiuchi, J., "Restitution des images aberrantes par le filtrage des fréquences spatiales, III — restitution de l'image prise avec un filtre à deux foyers," *Optica Acta*, 8: 161-168, Apr. 1961.

# F & B/CECO IN HOLLYWOOD



Carl Porcello, Vice President-General Manager, with more than seventeen years of experience in the motion picture field, heads an expert staff of sales, rental and technical personnel. Just take your film equipment problems to him and let him do the rest.

23,000 Square feet of the latest Professional Motion Picture Equipment—Full rental and

sales facilities—Arris, Eclairs, Auricons, Mitchell NC, BNC & BNC Reflex (with VTR!), Angenieux 12-120, 25-250mm, Super Baltars, etc. Complete Lighting, Grip, Sound & Editing Gear. Free Parking.


**F & B/CECO** I 7051 SANTA MONICA BLVD.,  
N HOLLYWOOD, CALIFORNIA  
C. (213) 469-3601 TELEX: 67-4536

IN NEW YORK:

315 West 43rd Street, New York, New York 10036 | 51 East 10th Ave., Hialeah, Fla. 33010  
(212) JU 6-1420 Cable: CINEQUIP Telex: 1-25497 | (305) 888-4604 Telex: 51532

IN FLORIDA:

Branches in: Washington, D.C./Atlanta/New Orleans/Cleveland



## Don't look surprised—

**GAF's darkroom products always make the most of your pictures**

No matter how you look at it, GAF's professional-quality photochemicals and other darkroom needs help achieve broader and more meaningful definition for your photographs. Get the full benefits of the finest in laboratory-proved chemicals, films and papers... get the most out of your pictures... get the *complete* GAF line, all readily available from the same source.

**General Aniline & Film Corporation**  
140 West 51 Street, New York, New York 10020

\*TRADEMARK OF GENERAL ANILINE & FILM CORPORATION.

03368R

#### **Film Developers**

HYFINOL® Developer and Replenisher  
ISODOL® Developer and Replenisher  
SUPERFINOL® Developer and Replenisher  
PERMADOL® Developer and Replenisher

#### **Paper Developers**

ARDOL® Developer  
VIVIDOL® Developer  
MIRADOL® Developer

#### **Fixers and Shortstop**

Acid Fixer with Hardener  
Liquid RPAFIX® Fixer  
SHURFIX® Type II Fixer  
VIVISTOP® Shortstop  
VIVIFIX® Fixer

#### **Toners and Miscellaneous Chemicals**

VIVITONER® Toner  
Direct Sepia Toner  
Liquid Flemish Toner  
QUIX\* Wash Saver  
FLEXOGLOSS® Print Conditioner  
VIVIFLOW\* 300 Wetting Agent  
Machine Systems Cleaner

more  
fine products  
from



Tsujiuchi, J., "Restitution des images aberrantes par le filtrage des fréquences spatiales, II — restitution de l'image prise avec un filtre à deux foyers," *Optica Acta*, 7: 385-398, Oct. 1960.

Tsujiuchi, J., "Restitution des images aberrantes par le filtrage des fréquences spatiales," *Optica Acta*, 7: 243-261, July 1960.

Vander Lugt, A., "The effects of small displacements of spatial filters," *Appl. Optics*, 6: 1221-1225, July 1967.

Vander Lugt, A., "Practical considerations for the use of spatial carrier-frequency filters," *Appl. Optics*, 5: 1760-1765, Nov. 1966.

Vander Lugt, A., Rotz, F. B., and Klooster, A., Jr., "Character-reading by optical spatial filtering," *Optical and Electro-Optical Information Processing*, 125-141 (see Tippet, J. T., et al., MIT Press, Cambridge, Mass., 1965).

Vienot, J. C., and Bulabois, J., "Spectral differentiation and hologram filtering of decorrelated weak optical signals," *Optica Acta*, 14: 57-70, Jan. 1967.

Vienot, J. C., Bulabois, J., and Perrin, G., "Notion de degré de ressemblance de fomes géométriques défini dans de une opération de filtrage-corrélation optique," *Comp. Rend. Acad. Sci., Ser. B*, 263: 1300-1303, Dec. 1963.

Wildey, R. L., "Spatial filtering of astronomical photographs, II — theory," *Astron. J.*, 72: 884-886, Sept. 1967.

Williams, R. E., "The panchromatic principle in optical filtering," *IEEE*

*Trans. Information Theory*, IT-10: 227-234, July 1964.

### 31. Zone Plates

Camus, J., Girard, F., and Clark, R., "Fresnel zone plate generation," *Appl. Optics*, 6: 1433, Aug. 1967.

Clifford, K. I., and Waldman, G. S., "Comments on 'Zone plate theory based on holography,'" *Appl. Optics*, 6: 1415, Aug. 1967 (see Horman, M. H., and Chau, H. H. M., *Appl. Optics*, 6: 317-322, Feb. 1967).

Horman, M. H., "Efficiencies of zone plates and phase zone plates," *Appl. Optics*, 6: 2011-2013, Nov. 1967.

Horman, M. H., "Reply to 'Comments on zone plate theory based on holography,'" *Appl. Optics*, 6: 1415-1418, Aug. 1967 (see Horman, M. H., and Chau, H. H. M., *Appl. Optics*, 6: 317-322, Feb. 1967).

Horman, M. H., and Chau, H. H. M., "Zone plate theory based on holography," *Appl. Optics*, 6: 317-322, Feb. 1967 (see Clifford, K. I., and Waldman, G. S., on Horman, M. H., *Appl. Optics*, 6: 1415-1418, Aug. 1967).

Leith, E. N., and Upatnieks, J., "Zone plate with aberration correction," *J. Opt. Soc. Am.*, 57: 699, May 1967.

Lohmann, A. W., and Paris, D. P., "Variable Fresnel zone pattern," *Appl. Optics*, 6: 1567-1570, Sept. 1967.

Lohmann, A. W., "Variable Fresnel zone pattern," *IBM Tech. Disclosure Bull.*, 10: 407-412, Sept. 1967.

Lohmann, A. W., and Paris, D. P., "Vari-

able Fresnel zone pattern," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.

Lohmann, A. W., "Die Fresnel-zonenplatte als testobjekt," *Optik*, 18: 514-518, Oct./Nov. 1961.

Myers, O. E., Jr., "Studies of transmission zone plates," *Am. J. Phys.*, 19: 359-365, Sept. 1951.

Preston, K., Jr., "Fundamentals of holography," *Phot. Sci. Eng.*, 11: 190-197, May-June 1967.

Rosen, L., "Moire effects in computer-generated holograms," *Proc. IEEE*, 55: 1736-1737, Oct. 1967.

### 32. Articles Related to Holography

Alcksoff, C., "Gas lasers as sources for holography," *Appl. Optics*, 6: 2192-2193, Dec. 1967.


Becker, H. C., Meyers, P. H., and Nice, C. M., "Laser light diffraction, spatial filtering, and reconstruction of medical radiographic images — preliminary results," *1967 IEEE Region III Conv. Conf. Record*, 43-54.

Beste, D. C., and Leith, E. N., "An optical technique for simultaneous beam forming and cross correlation," *IEEE Trans. Aerospace Electronic Systems*, AES-2: 376-384, July 1966.

Brown, W. G., "Synthetic aperture radar," *IEEE Trans. Aerospace Electronic Systems*, AES-3: 217-229, Mar. 1967.

Canut-Amoros, M., "Quantitative analysis of Fraunhofer patterns of ordered and disordered structures of disk-like atoms,"

## M. T. E. TYPE 92C PLAYBACK SYNCHRONIZER



For all 60 cycles and 14KC Carrier Sync Systems

Operates with single and multi-track studio tape recorders. Speed correction range  $\pm 20\%$ . Memory Circuit maintains speed, if signal drops out. 50 cycle Sync Generator available for transfer of 50 cycle tapes at 60 cycles power line frequency.

**MAGNA-TECH ELECTRONIC CO., INC.**

630 Ninth Avenue, New York, N. Y. 10036

*Our 60th year*

High Precision

# SPROCKETS?

-contact



Sprocket Specialists since 1908

*BROCHURE ON REQUEST*



- J. Opt. Soc. Am.*, 56: 1449, Oct. 1966, (abstract only).
- Cutrona, L. J., Leith, E. N., Porcello, L. J., and Vivian, W. E., "On the application of coherent optical processing techniques to synthetic-aperture radar," *Proc. IEEE*, 54: 1026-1032, Aug. 1966.
- Dick, D. E., and Wertz, H. J., "Analog and digital computation of Fourier series and integrals," *IEEE Trans. Electronic Computers*, EC-16: 8-13, Feb. 1967.
- Gerritsen, H. J., "Image processing with nonlinear optics," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Harger, R., "On processing optical images propagated through the atmosphere," *IEEE Trans. Aerospace Electronic Systems*, AES-3: 819-828, Sept. 1967.
- Ingalls, A. L., "Optical simulation of microwave antennas," *IEEE Trans. Antennas Propagation*, AP-14: 2-6, Jan. 1966.
- Leith, E. N., Cutrona, L. J., and Porcello, J., "Coherent optical techniques for radar data processing," *J. Opt. Soc. Am.*, 56: 1419, Oct. 1966, (abstract only).
- Marathay, A. S., "Optical image processing in incoherent and coherent illumination," *J. Soc. Photo-Opt. Instrumentation Engrs.*, 4: 267-271, Aug.-Sept. 1966.
- Maréchal, A., "Optical filtering by double diffraction," *Optical Processing of Information*, 20-30 (see Pollock, D. K., et al., Spartan Books, New York, N.Y., 1963).
- Montgomery, W. D., "Self-imaging objects of infinite aperture," *J. Opt. Soc. Am.*, 57: 571, Apr. 1967 (abstract only).
- Nisida, M., and Saito, H., "Application of an interferometric method to studies of contact problems," *Sci. Papers Inst. Phys. Chem. Research*, 59: 112-113, Sept. 1965.
- O'Neill, E. L., *An introduction to quantum optics*, Dept. Phys., Univ. California, Berkeley, 1965.
- O'Neill, E. L., "Selected topics in optics and communication theory," *Boston Univ., Phys. Research Labs., Tech. Note 133*, Oct. 1957.
- O'Neill, E. L., "The analysis and synthesis of linear coherent and incoherent optical systems," *Boston Univ., Phys. Research Labs., Tech. Note 122*, Sept. 1955.
- Papoulis, A., "Fresnel transforms with applications in diffraction theory," *Symposium on Modern Optics*, Mar. 22-24, 1967, New York, N.Y.
- Paris, D. P., "Digital simulation of image-forming systems," *IBM J. Res. Devel.*, 10: 407-411, Sept. 1966.
- Paris, D. P., "Computer simulation of photo-optical image-forming systems," *Phot. Sci. Eng.*, 10: 69-76, Mar.-Apr. 1966.
- Rosc, H. W., "Laser instabilities in interferometry and holography," *J. Opt. Soc. Am.*, 57: 1427, Nov. 1967, (abstract only).
- Rousseau, M., "Photographie en lumière monochromatique d'un objet periodique diffusant, application à la détermination du degré de cohérence spatiale d'une source," *Comp. Rend. Acad. Sci., Ser. B*, 264: 1569-1572, June 5, 1967.
- Sedney, R., Rowe, R., Bush, C., and Voelker, L., "Conventional flow visualization using laser light source," *AIAA Bull.*, 2: 717, Dec. 1965.
- Sintsov, V. N., "Application of optical quantum generators (lasers) in photography," *Zhur. Nauch. i Priklad. foto. i kinemat.*, 11: 65-68, Jan.-Feb. 1966.
- Theocaris, P. S., and Koutsabessis, A., "Slope measurement by means of moiré fringes," *J. Sci. Instr.*, 42: 607-610, Aug. 1965.
- Upatnieks, J., "Improvement of two-dimensional image quality in coherent optical systems," *Appl. Optics*, 6: 1905-1910, Nov. 1967.
- Urbach, J. C., "The role of screening in thermoplastic xerography," *Phot. Sci. Eng.*, 10: 287-297, Sept.-Oct. 1966.
- Vander Lugt, A., and Mitchel, R. H., "Technique for measuring modulation transfer functions of recording media," *J. Opt. Soc. Am.*, 57: 372-379, Mar. 1967.
- Vander Lugt, A., "Operational notation for the analysis and synthesis of optical data-processing systems," *Proc. IEEE*, 54: 1055-1063, Aug. 1966.

Reviewed by the SMPTE Advisory Committee on Special Effects in Motion Pictures: Herbert Meyer, Chairman, Russell Brown, Thomas G. Fisher, Jack Froehlich, Max Hankins, Ub Iwerks, Ivan Martin, Bob Matthey, Frederic L. Ponedel, John Roche, J. Edward Stembridge, Edward Stones, Virgil Summers.

- For Industry Reference and for Students
- A New Book From the SMPTE

# Special Effects in Motion Pictures

(Some Methods for Producing Mechanical Special Effects) **Frank P. Clark**

**CONTENTS**

The Development of Special Effects	Miscellaneous Effects
The Application of Special Effects	Shooting
Atmospheric Effects	Pyrotechnics
Special-Effects Props	Sources of Special Effects (Appendix)
Optical Effects	Index
Sound Effects	Bibliography

**238 PAGES    MORE THAN 100 ILLUSTRATIONS**

■ Price. **\$7.50**  
 Discounts of 20% to SMPTE members and booksellers on single copies; 25% on orders of 5 through 49; 33½% on orders of 50 or more.

**Order from:**  
**Society of Motion Picture and Television Engineers**  
 9 East 41st Street, New York, N. Y. 10017