

# Index to SMPTE-Sponsored American National Standards, Society Recommended Practices, and Engineering Guidelines

**Standards Subscription Service:** The service supplies all approved standards, practices, and guidelines which are sponsored by the SMPTE and which are validated during the calendar year. Proposals are published in the *JOURNAL* and are not included in the subscription service. Write to SMPTE for detailed information regarding this service.

**Individual Copies or Standards Binders:** Individual copies of approved standards, practices and guidelines and loose-leaf binders containing a complete set of all SMPTE-sponsored documents may be purchased from Society Headquarters.

Subject	No.	Journal	Subject	No.	Journal
<b>Film Dimensions</b>			super 8 . . . . .	<b>PH22.157-1971</b> <b>R1977</b>	June 1971
8mm, Perforated super 8, 1R . . . . .	<b>PH22.149-1981</b>	Dec. 1981	16mm . . . . .	<b>PH22.7-1976</b>	Oct. 1976
16mm, Perforated regular 8, 2R-1500 . . . . .	<b>PH22.17-1974</b>	Apr. 1975 Jan. 1981 <sup>1</sup>	super 16 . . . . .	<b>PH22.201M-1981</b>	Nov. 1981
16mm, Perforated super 8, (1-3) . . . . .	<b>PH22.151-1981</b>	Dec. 1981	35mm . . . . .	<b>PH22.59-1974</b> <b>R1981</b>	June 1974
(1-4) . . . . .	<b>PH22.168-1973</b> <b>R1980</b>	Aug. 1973	<b>Image Areas, Printer</b>		
16mm, 1R . . . . .	<b>PH22.109-1980</b>	May 1981	super 8 on 16mm (1-3) . . . . .	<b>PH22.181-1973</b> <b>R1979</b>	Apr. 1973
16mm, 2R . . . . .	<b>PH22.110-1980</b>	May 1981	(1-4) . . . . .	<b>PH22.153-1979</b>	Sept. 1979
35mm, Perforated super 8, 2R-1664 (1-0) . . . . .	<b>PH22.169-1980</b>	May 1981	super 8 on 35mm . . . . .	<b>PH22.179-1980</b>	Nov. 1980
5R . . . . .	<b>PH22.165-1981</b>	Oct. 1981	16mm Contact (positive from negative and reversal) . . . . .	<b>PH22.48-1976</b>	Oct. 1976
35mm, Perforated 16mm, 3R (1-3-0) . . . . .	<b>PH22.171-1980</b>	May 1981	16mm to 35mm Enlargement Ratio . . . . .	<b>RP 66-1976</b>	Jan. 1977
35mm, Perforated 32mm, 2R . . . . .	<b>PH22.73-1981</b>	Oct. 1981	super 16 to 35 Enlargement Ratio . . . . .	<b>PH22.201M-1981</b>	Nov. 1981
35mm, BH . . . . .	<b>PH22.93-1980</b>	Apr. 1981	35mm to 16mm Prints and Dupe Negatives . . . . .	<b>RP 65-1976</b>	Jan. 1977
35mm, CS-1870 . . . . .	<b>PH22.102-1980</b>	Apr. 1981	35mm Release Picture-Sound Continuous Contact . . . . .	<b>PH22.111-1965</b> <b>R1975</b>	Dec. 1965
35mm, DH-1870 . . . . .	<b>PH22.1-1981</b>	Dec. 1981	<b>Image Areas, Projectable</b>		
35mm, KS . . . . .	<b>PH22.139-1980</b>	Apr. 1981	8mm Release Prints . . . . .	<b>RP 56-1974</b> <b>R1979</b>	Jan. 1975
65mm, KS . . . . .	<b>PH22.145-1981</b>	Dec. 1981	regular 8 . . . . .	<b>PH22.20-1975</b>	Feb. 1976
70mm, Perforated 65mm, KS-1870 . . . . .	<b>PH22.119-1981</b>	Dec. 1981	super 8 . . . . .	<b>PH22.154-1976</b>	Dec. 1976
<b>Film Usage, Camera</b>			16mm . . . . .	<b>PH22.8-1969</b> <b>R1975</b>	Dec. 1969
regular 8 . . . . .	<b>PH22.21-1975</b>	Apr. 1976	16 & 35mm TV Review Room . . . . .		
super 8 . . . . .	<b>PH22.156-1976</b>	Dec. 1976	. . . . .	<b>PH22.148-1967</b> <b>R1978</b>	Dec. 1967
16mm . . . . .	<b>PH22.9-1976</b>	Feb. 1977	35mm . . . . .	<b>PH22.195-1977</b>	Sept. 1977
35mm . . . . .	<b>PH22.2-1979</b>	Sept. 1979	70mm . . . . .	<b>PH22.152-1969</b> <b>R1976</b>	Dec. 1969
<b>Film Usage, Projector</b>			<b>Sound</b>		
regular 8 . . . . .	<b>PH22.22-1975</b> <b>R1981</b>	Apr. 1976	Photographic Record		
super 8 . . . . .	<b>PH22.155-1976</b>	Dec. 1976	super 8 . . . . .	<b>PH22.182-1978</b>	Nov. 1978
16mm . . . . .	<b>PH22.10-1980</b>	July 1981	16mm . . . . .	<b>PH22.41-1975</b>	Mar. 1976
35mm . . . . .	<b>PH22.194-1977</b>	Sept. 1977	2-track . . . . .	<b>PH22.204</b>	Apr. 1979 <sup>1</sup>
<b>Image Areas, Camera</b>			35mm . . . . .	<b>PH22.40-1978</b>	Aug. 1978
regular 8 . . . . .	<b>PH22.19-1976</b>	Oct. 1976	2-track . . . . .	<b>PH22.203</b>	Apr. 1979 <sup>1</sup>
<b>R — Reaffirmed.</b>			<b>Magnetic Record</b>		
<b><sup>1</sup> Proposed standard, practice or guideline.</b>			regular 8 . . . . .	<b>PH22.135-1975</b>	Oct. 1975



Subject	No.	Journal
Type C 1-in		
Basic Parameters . . . . .	C98.18M-1979	Feb. 1980
Frequency Response and Reference Level . . . . .	C98.20M-1979	Feb. 1980
Record Dimensions . . . . .	C98.19M-1979	Feb. 1980
Recorder Parameters . . . . .	RP 86-1979	Feb. 1980
Reference Tapes		
Interchange . . . . .	RP 100	Oct. 1980 <sup>1</sup>
Video and Audio . . . . .	RP 99	Oct. 1980 <sup>1</sup>
Record Dimensions . . . . .	V98.28M	Oct. 1980 <sup>1</sup>
Recorder Parameters . . . . .	V98.27M	Oct. 1980 <sup>1</sup>
Tracking-Control Record . . . . .	RP 85-1979	Feb. 1980
Type E 3/4-in		
Carrier Frequencies, Pre-emphasis, Audio and Control Signals . . . . .	RP 87-1980	May 1980
Cassette Dimensions . . . . .	C98.22M-1980	May 1980
Receiver/Monitor		
Test Tape . . . . .	RP 96	Oct. 1979 <sup>1</sup>
Record Dimensions . . . . .	C98.21M-1980	May 1980
Small Cassette . . . . .	V98.31M	Nov. 1981 <sup>1</sup>
Type F 1/2-in		
Carrier Frequencies and Pre-emphasis . . . . .	RP 88-1980	May 1980
Records and Parameters . . . . .	C98.23M-1980	May 1980
Quadruplex		
Audio 2 Level/Response . . . . .	RP 102	Dec. 1980 <sup>1</sup>
Code, Time and Control . . . . .	V98.12M-1981	Aug. 1981
Recording Requirements . . . . .	RP 101	Dec. 1980 <sup>1</sup>
Dropout Detection . . . . .	RP 47-1972	Dec. 1972
	R1978	
Dual-Program Audio . . . . .	RP 89-1978	Mar. 1979
Headwheel and Guides . . . . .	RP 36-1978	Feb. 1979
Labels . . . . .	RP 26-1968	Mar. 1968
	R1974	May. 1980 <sup>1</sup>
Leader, monochrome . . . . .	C98.2-1963	Dec. 1963
	R1975	
color . . . . .	C98.9-1967	Sept. 1967
	R1975	
Modulation Practices . . . . .	RP 6-1979	Jan. 1980
Patch Splices . . . . .	RP 5-1976	May 1977
Records, Characteristics of		
Audio . . . . .	V98.3-1980	July 1981
Record Dimensions, Video, Audio and Tracking Control . . . . .	V98.6-1981	Oct. 1981
Record, Tracking Control . . . . .	RP 16-1977	Dec. 1977
Reels, 2 in. . . . .	C98.5-1970	Feb. 1971
	R1976	
1/2 in . . . . .	C98.14-1975	Mar. 1976
	R1981	
Speed . . . . .	C98.4-1970	Feb. 1971
	R1976	
Spools, Cartridge . . . . .	V98.13-1981	Oct. 1981
Labels . . . . .	RP 60-1975	May 1975
	R1980	
Tape Dimensions . . . . .	C98.1-1978	Aug. 1978
Tape Vacuum Guide . . . . .	RP 11-1968	Aug. 1968
Tape Usage, Cartridge/Cassette Spools . . . . .	EG 6	July 1981 <sup>1</sup>
Test Tapes		
Multifrequency		
15 in/s . . . . .	C98.8-1977	Jan. 1978
		Mar. 1981 <sup>1</sup>
7.5 in/s . . . . .	C98.11-1977	Jan. 1978
		Mar. 1981 <sup>1</sup>
Video Frequency,		
15 in/s, LBM . . . . .	RP 29-1968	Sept. 1968
	R1980	Mar. 1981 <sup>2</sup>

Subject	No.	Journal
15 in/s, HB . . . . .	RP 43-1975	June 1976
7.5 in/s, HB . . . . .	RP 44-1975	June 1976
Vertical Interval Signal . . . . .	RP 57-1974	Dec. 1981 <sup>2</sup>
	R1980	Jan. 1975
Time and Control Code . . . . .	RP 108	Sept. 1981 <sup>1</sup>

### MISCELLANEOUS

<b>Cartridge, Super 8 Camera</b>		
Notches . . . . .	PH22.166-1981	Nov. 1981
Silent		
50 Ft.		
Model I		
Aperture, Profile, Pressure Pad, Film Position . . . . .	PH22.159.2-1980	Nov. 1980
Camera Run Length, Perforation Cut-Out, End of Run Notch . . . . .	PH22.200M	Nov. 1981 <sup>1</sup>
Cartridge, Cartridge-Camera Interface, Take-Up Core Drive . . . . .	PH22.159.1-1980	Feb. 1981
Model II		
Cartridge, Cartridge-Camera Fit, Core . . . . .	PH22.190-1976	Sept. 1976
Film Length,		
Camera Run . . . . .	PH22.188-1976	Sept. 1976
Position . . . . .	PH22.189-1976	Sept. 1976
Speed, Color Balance, Identification . . . . .	PH22.191-1976	Sept. 1976
Sound		
50 Ft.		
Model I		
Aperture, Pressure Pad, Film Position . . . . .	PH22.198-1980	Aug. 1980
Camera-Run Length, Perforation Cut-Out, End-of-Run Notch . . . . .	PH22.200M-1980	Aug. 1980
		Nov. 1981 <sup>1</sup>
Cartridge, Cartridge-Camera Interface, Core Drive . . . . .	PH22.197-1980	Aug. 1980
Pressure Pad Flatness, Aperture Profile . . . . .	PH22.199-1980	Aug. 1980
200 Ft.		
Model I		
Aperture, Profile, Film Position, Pressure Pad, Flatness . . . . .	PH22.206	Aug. 1981 <sup>1</sup>
Camera-Run Length, Perforation Cut-Out, End-of-Run Notch . . . . .	PH22.200M	Nov. 1981 <sup>1</sup>
Cartridge, Cartridge-Camera Interface, Core Drive . . . . .	PH22.205	Aug. 1981 <sup>1</sup>
<b>Conference</b>		
Audio Reinforcement . . . . .	ECR 4	June 1979 <sup>1</sup>
Projection . . . . .	ECR 3	June 1979 <sup>1</sup>
<b>Cores for Raw Stock Film . . . . .</b>	PH22.37-1975	Oct. 1975
	R1981	
<b>Density Measurements</b>		
Calibration of Densitometers . . . . .	RP 15-1970	Apr. 1970
	R1976	
Spectral Diffuse . . . . .	PH22.117-1968	Mar. 1969
	R1979	

Subject	No.	Journal	Subject	No.	Journal
<b>Edge Numbering, 16mm Film</b> . . .	<b>PH22.83-1972</b> <b>R1978</b>	Dec. 1972	<b>Raw Stock Identification</b> . . . . .	<b>PH22.184-1973</b> <b>R1980</b>	Nov. 1973
16mm Release Prints . . . . .	<b>RP 54-1974</b> <b>R1979</b>	July 1974	Container Edge . . . . .	<b>ECR 2-1979</b>	Sept. 1979
<b>Electro-Acoustic Response,</b>			<b>Reels</b>		
Control Rooms and Theaters . . . . .	<b>PH22.202</b>	Jan. 1979 <sup>1</sup>	regular 8 . . . . .	<b>PH22.23-1975</b> <b>R1981</b>	Apr. 1976
<b>Emulsion Orientation</b>			super 8 . . . . .	<b>PH22.160-1977</b>	July 1977
Print Winding . . . . .	<b>RP 39-1970</b> <b>R1976</b>	Apr. 1970	16mm . . . . .	<b>PH22.11-1975</b>	Mar. 1976
Raw Stock Winding . . . . .	<b>PH22.75-1975</b>	Mar. 1976	35mm . . . . .	<b>PH22.4-1976</b>	Apr. 1977
Super 8 Release Prints . . . . .	<b>RP 42-1970</b> <b>R1976</b>	Dec. 1970 Dec. 1981 <sup>2</sup>	Large Capacity . . . . .	<b>PH22.193-1976</b>	Apr. 1977
			Shipping . . . . .	<b>PH22.192-1976</b>	Apr. 1977
			70/35 mm . . . . .	<b>PH22.147-1976</b>	Apr. 1977
<b>Film Length, 8mm Camera Spool</b>			<b>Reversal Color Film Speed</b> . .	<b>PH22.146M-1980</b>	May 1981
(25 ft Capacity) . . . . .	<b>PH22.143-1975</b> <b>R1981</b>	Feb. 1976	<b>Safety Film</b> . . . . .	<b>PH22.31M-1980</b>	July 1981
<b>Graph Paper</b> . . . . .	<b>RP 22-1966</b> <b>R1976</b>	Dec. 1966 Sept. 1980 <sup>1</sup>	<b>Screens</b>		
<b>Image Quality, 70, 35, 16mm</b> . . . . .	<b>EG 5</b>	July 1981 <sup>1</sup>	Gain		
<b>Jump and Weave, 70, 35, 16mm</b> . . . . .	<b>RP 105</b>	Jan. 1981 <sup>1</sup>	Determination . . . . .	<b>RP 94-1980</b>	June 1981
<b>Leaders</b>			Installation . . . . .	<b>RP 95-1980</b>	June 1981
Preprint, 8mm . . . . .	<b>RP 49-1973</b> <b>R1979</b>	Mar. 1973	Luminance		
Universal . . . . .	<b>PH22.55-1975</b>	Mar. 1976	Drive-in Theaters . . . . .	<b>RP 12-1972</b> <b>R1980</b>	Dec. 1972
<b>Lenses</b>			Indoor Theaters . . . . .	<b>PH22.196-1978</b>	Aug. 1978
Aperture Calibration . . . . .	<b>PH22.90-1964</b> <b>R1977</b>	June 1964	Measurement . . . . .	<b>RP 98-1981</b>	Sept. 1981
Focal Lengths, Markings, 35 & 70mm . .	<b>PH22.28-1976</b>	Feb. 1977 Mar. 1980 <sup>1</sup>	Review Rooms, 8 mm . . . . .	<b>RP 51-1974</b> <b>R1979</b>	May 1974
Focus Scales, 16mm and 8mm Cameras . . . . .	<b>PH22.74-1965</b> <b>R1981</b>	May 1965	Slides & Film Strips . . . . .	<b>RP 59-1975</b> <b>R1980</b>	May 1975
<b>Lens Mounts</b>			<b>Sensitometric Strips</b> . . . . .	<b>RP 14-1970</b> <b>R1976</b>	Apr. 1970
16mm & 8mm Cameras . . . . .	<b>PH22.76-1960</b> <b>R1979</b>	Feb. 1960	<b>Spindles</b>		
<b>Lubrication 16 &amp; 8mm Prints</b> . . . . .	<b>RP 48-1973</b> <b>R1979</b>	Mar. 1973	super 8 projector . . . . .	<b>RP 50-1974</b> <b>R1979</b>	May 1974
<b>Nomenclature</b>			16mm camera . . . . .	<b>RP 24-1967</b> <b>R1978</b>	July 1967
Cartridge/Cassette . . . . .	<b>RP 58-1974</b> <b>R1980</b>	Jan. 1975	16mm projector . . . . .	<b>RP 34-1968</b> <b>R1978</b>	Dec. 1968
Film . . . . .	<b>PH22.56-1978</b>	Nov. 1978	35mm rewind . . . . .	<b>RP 21-1976</b>	May 1977
<b>Notching, Scene Change, 35mm</b> . . .	<b>RP 53-1974</b>	July 1974	<b>Splices</b>		
<b>Photometric Performance</b>			16 & 8mm		
Incandescent Lighting Units . . . . .	<b>RP 4-1958</b> <b>R1977</b>	Sept. 1958	Laboratory type . . . . .	<b>PH22.77-1975</b>	Apr. 1976 Jan. 1981 <sup>1</sup>
			Projection type . . . . .	<b>PH22.24-1975</b>	Apr. 1976 Jan. 1981 <sup>1</sup>
			super 8		
			Cemented . . . . .	<b>PH22.172.1-1969</b> <b>R1975</b>	Mar. 1970
			Tape . . . . .	<b>PH22.172.2-1976</b>	Dec. 1976
			70mm reinforcement . . . . .	<b>RP 23-1979</b>	Jan. 1980
			<b>Spools</b>		
			8mm, 25-ft capacity . . . . .	<b>PH22.107-1975</b> <b>R1981</b>	Feb. 1976
			Double 8, 100-ft capacity . . .	<b>PH22.173-1975</b> <b>R1981</b>	Feb. 1976
			16mm, daylight-loading, 50- to 400-ft capacity . . . . .	<b>PH22.174-1975</b>	Feb. 1976

Subject	No.	Journal	Subject	No.	Journal
<b>Sprockets</b>			<b>Tension, 35mm Systems, . . . . .</b>	<b>RP 106</b>	Jan. 1981 <sup>1</sup>
regular 8 . . . . .	<b>RP 73-1977</b>	Jan. 1978	<b>Test Methods, Sound Distortion</b>		
super 8 . . . . .	<b>RP 55-1974</b>	Jan. 1975	Cross Modulation, Variable-		
	<b>R1979</b>		Area . . . . .	<b>RP 104</b>	Jan. 1981 <sup>1</sup>
16mm . . . . .	<b>RP 74-1977</b>	Jan. 1978	Intermodulation, Variable-		
35mm . . . . .	<b>PH22.35-1962</b>	May 1962	Density . . . . .	<b>PH22.51-1961</b>	July 1961
	<b>R1976</b>	Mar. 1980 <sup>1</sup>		<b>R1975</b>	
<b>Synchronization, sound-picture . . .</b>	<b>RP 25-1968</b>	Mar. 1968	<b>Unsteadiness, High-Speed</b>		
	<b>R1978</b>		Camera . . . . .	<b>RP 17-1964</b>	May 1964
				<b>R1976</b>	

---

## American National Standards, SMPTE Recommended Practices, Engineering Guidelines, and International Standards — 1981 • Volume 90

---

Number	Title	Issue	Page
<b>American National Standards</b>			
C98.14-1975	Reaffirmed 1981, Dimensions of Plastic Reels for 1/2-inch (12.7 mm) Video Magnetic Tape . . .	Oct.	987
PH22.1-1981	Approved, Dimensions for 35-mm Motion-Picture Film, DH-1870 . . . . .	Dec.	1228
PH22.10-1980	Approved, Specifications for Projector Usage of 16-mm Motion-Picture Film . . . . .	July	622
PH22.17	Proposed Revision, Dimensions for 16-mm Motion-Picture Film Perforated 8-mm Type R, 2R . . . . .	Jan.	39
PH22.22-1975	Reaffirmed 1981, Specifications for Projector Usage of 8-mm Type R (Regular 8) Motion-Picture Film Perforated One Edge . . . . .	Oct.	987
PH22.23-1975	Reaffirmed 1981, Dimensions of Projection Reels for 8-mm Type R (Regular 8) Motion-Picture Film . . . . .	Oct.	987
PH22.24	Proposed Revision, Dimensions of Transverse Cemented Splices on 16-mm and 8-mm Type R Motion-Picture Film . . . . .	Jan.	40
PH22.31M-1980	Approved, Specifications for Motion-Picture Safety Film . . . . .	July	623
PH22.37-1975	Reaffirmed 1981, Dimensions of Raw Stock Cores for Motion-Picture Film . . . . .	July	621
PH22.59-1974	Reaffirmed 1981, Dimensions of 35-mm Motion-Picture Camera Aperture Images . . . .	July	621
PH22.73-1981	Approved, Dimensions for 35-mm Motion-Picture Film Perforated 32-mm, 2R . . . . .	Oct.	991
PH22.74-1965	Reaffirmed 1981, Specifications for Indicating the Zero Point for Focusing Scales on 16-mm and 8-mm Motion-Picture Cameras . . . . .	Oct.	987
PH22.93-1980	Approved, Dimensions for 35-mm Motion-Picture Film Perforated BH . . . . .	Apr.	286
PH22.102-1980	Approved, Dimensions for 35-mm Motion-Picture Film, CS-1870 . . . . .	Apr.	287
PH22.107-1975	Reaffirmed 1981, Dimensions of Double 8-mm Type R (Regular 8) Motion-Picture Camera Spools (25-ft [7.6-m] Capacity) . . . . .	Nov.	1133
PH22.108-1974	Reaffirmed 1980, Position, Dimensions and Reproducing Speed of Four 150-Mil Magnetic Sound Records on 35-mm Motion-Picture Film . . . . .	Jan.	38
PH22.109-1980	Approved, Dimensions for 16-mm Motion-Picture Film Perforated 1R . . . . .	May	416
PH22.110-1980	Approved, Dimensions for 16-mm Motion-Picture Film Perforated 2R . . . . .	May	417
PH22.119-1981	Approved, Dimensions for 70-mm Motion-Picture Film Perforated 65-mm, KS-1870 . .	Dec.	1229
PH22.137-1981	Approved, Position, Dimensions and Reproducing Speed of Four Magnetic Sound Records on 35-mm Motion-Picture Release Prints . . . . .	Nov.	1134
PH22.139-1980	Approved, Dimensions for 35-mm Motion-Picture Film Perforated KS . . . . .	Apr.	288
PH22.143-1975	Reaffirmed 1981, Specifications for Length of Film on 8-mm Type R (Regular 8) Motion-Picture Camera Spools (25-ft [7.6-m] Capacity) . . . . .	Nov.	1133
PH22.145-1981	Approved, Dimensions for 65-mm Motion-Picture Film Perforated KS . . . . .	Dec.	1230
PH22.146M-1980	Approved, Method for Determining Speed of 16-mm and 8-mm Reversal Color Camera Films Intended for Direct Projection in Motion-Picture Photography . . . . .	May	421
PH22.149-1981	Approved, Dimensions for 8-mm Motion-Picture Film Perforated 8-mm Type S, 1R . . .	Dec.	1231
PH22.151-1981	Approved, Dimensions for 16-mm Motion-Picture Film Perforated 8-mm Type S, (1-3)	Dec.	1232
PH22.159.1-1980	Approved, Specifications for 8-mm Type S Model 1 Motion-Picture Film Camera Cartridge, Cartridge-Camera Interface and Take-Up Core Drive . . . . .	Feb.	128
PH22.161-1980	Approved, Dimensions of Magnetic Striping of 8-mm Type S Motion-Picture Film . . . .	Feb.	129
PH22.162-1980	Approved, Dimensions of Magnetic Striping of 16-mm Motion-Picture Film Perforated 8-mm Type S, (1-4) . . . . .	Feb.	130